

**WRITTEN QUESTION TO THE MINISTER FOR THE ENVIRONMENT
BY DEPUTY M.R. HIGGINS OF ST. HELIER
ANSWER TO BE TABLED ON TUESDAY 26th MARCH 2019**

Question

Will the Minister set out for members all instances where pollutants (e.g. weed-killer, insecticides etc.) have been found in Jersey's reservoirs and watercourses over the last ten years, identifying –

- (a) the specific areas of the Island where they were found;
- (b) the type of pollutant and its strength in each instance;
- (c) the level of pollutant in each instance in relation to international standards, and
- (d) what action, if any, the department took in each instance?

Answer – Updated for the meeting on 30th April 2019

Answers to parts (a), (b) and (c) of the question are included in the attached table:

To note:

1. The data includes Jersey Water and Environmental Protection (Growth, Housing and Environment) data for all active ingredients (or analytical determinates)¹ in pesticides (including insecticides, herbicides and fungicides) that have been detected in island streams and reservoirs over the past ten years.
2. The data includes recorded values greater than a laboratory 'limit of detection' of 0.1 ug/l (parts per billion). The data should therefore be referred to as 'detections' and not 'breaches' or 'exceedances'.
3. Detections are for pesticides used by all groups, such as farmers, landscape gardeners and domestic users.
4. The number of detections between years should not be compared, as the number of analytical determinations sampled each year has increased (see Table 1 below).
5. Laboratories undertake analysis in 'suites' of analytical determinations and the total number of tests in table 1 contains analytical determinations which would not necessarily be expected to be found in island waters.
6. The Jersey Water list contains re-tests arising from a previous detection.
7. A single detection might be replicated further up/down-stream or within the reservoir.
8. To avoid confusion, historic pollutants such as oxadixyl have been tabulated separately.

Detection levels in relation to international standards:

- The Water Framework Directive 2000/60/EC sets environmental quality standards (EQS) for certain Priority Substances and Priority Hazardous Substances.
- The UKTAG² also lists EQS standards for certain substances being discharged into the water environment in the UK. Where available, these have been included in part (c).
- The majority of the substances that are detected will not have an EQS as they are not included on any of the above lists.

¹ Including breakdown products of active ingredients

² UKTAG is a partnership of the UK environment and conservation agencies set up to provide coordinated advice on the science and technical aspects of the European Union's Water Framework Directive (2000/60/EC).

Answer to part (d) of the question:

Where appropriate, the summary of investigatory actions for each recorded detection is included in the attached table.

From 2017, detections have followed the following investigatory procedure;

- Jersey Water forward all detections to Environmental Protection (Growth, Housing and Environment) who then prepare or update an existing detection statement for each of the listed detections. This allows officers to look at trends and to recommend further action needed (monitoring, investigation or regulatory activity).
- The list of detections is forwarded to all users of that particular pesticide, who, in turn, might supply information or change practices or behaviours.
- Instances where a high number of detections are recorded are discussed at the joint Action for Cleaner Water Group. This can result in banning products or conditioning their use on-island.
- Officers seek to fully investigate any detection that is likely to result in the identification of bad practise and this can lead to advice, changes in approach and/or enforcement action.
- Investigation can include re-testing of the water body, examination of who purchased the product, spray records and sprayer certificates, records of calibration of spraying equipment and examination of sprayer fill points. Officers also undertake stream walking to identify any areas where pesticides have been used.

Table 1

Total number of separate analytical determinations undertaken by Jersey Water and Environmental Protection (2009-2018)

Year	Jersey Water	Environmental Protection
2018	46,158	6,320
2017	47,444	6,400
2016	38,121	6,400
2015	3,190	4,800
2014	2,850	
2013	5,239	
2012	4,658	
2011	3,302	
2010	4,551	
2009	4,534	

Jersey Water data 2000-2019

Date	Sampling point	Name of substance	Detected level (ug/l)	Maximum Allowable Concentration (MAC) - EQS surface water (ug/l)	Notes	Investigation notes
02/04/2019	VDLM Pump/Top Strainer	Metobromuron	0.20		* unaccredited	
02/04/2019	Handois East Pt A	Ethoprophos	0.10			Breaches in multiple catchments suggests that a contributing factor is diffuse pollution from large areas of applications. As a granular application, soil incorporation should be ensured and run-off risk should be minimal, therefore transport practice and machinery on the road may warrant further awareness raising across industry in this area.
02/04/2019	Queens Valley Stream	AMPA	0.21			Breakdown product of glyphosate, to be discussed at the next AFCW meeting
02/04/2019	Queens Valley Side Stream	Glyphosate	0.16			Sampling commenced in Jan 2019- to be discussed at May AFCW Group
01/04/2019	Handois Blended Raw Water	Metobromuron	0.10		* unaccredited	
26/03/2019	Queens Valley Stream	Glyphosate	0.22			Sampling commenced in Jan 2019- to be discussed at May AFCW Group
26/03/2019	Queens Valley Stream	AMPA	0.14			Breakdown product of glyphosate, to be discussed at the next AFCW meeting
26/03/2019	Queens Valley Side Stream	AMPA	0.19			Breakdown product of glyphosate, to be discussed at the next AFCW meeting
25/03/2019	VDLM Pump/Top Strainer	Metobromuron	0.20		* unaccredited	
25/03/2019	La Hague Dip	AMPA	0.10			Breakdown product of glyphosate, to be discussed at the next AFCW meeting
25/03/2019	Pont Marquet Stream	AMPA	0.13			Breakdown product of glyphosate, to be discussed at the next AFCW meeting
25/03/2019	Handois Blended Raw Water	Metobromuron	0.10		* unaccredited	Metobromuron was promoted to a green product by AFCW in 2018 and was suggested as a good replacement for Linuron which was banned from use on the 31st December 2017. January 2019 was relatively dry, with only 11mm received on average across the island
25/03/2019	VDLM Pump/Top Strainer	Metobromuron	0.20		* unaccredited	Metobromuron was promoted to a green product by AFCW in 2018 and was suggested as a good replacement for Linuron which was banned from use on the 31st December 2017. January 2019 was relatively dry, with only 11mm received on average across the island
20/03/2019	VDLM West Pt A	Ethoprophos	0.22			Breaches in multiple catchments suggests that a contributing factor is diffuse pollution from large areas of applications. As a granular application, soil incorporation should be ensured and run-off risk should be minimal, therefore transport practice and machinery on the road may warrant further awareness raising across industry in this area.

20/03/2019	VDLM Pump/Top Strainer	Metobromuron	0.20		* unaccredited	
20/03/2019	Tesson	Ethoprophos	0.19			
18/03/2019	Augres Blended Raw Water	Metobromuron	0.10		* unaccredited	
18/03/2019	handois blended Raw Water	Metobromuron	0.10		* unaccredited	
13/03/2019	VDLM West Pt A	Ethoprophos	0.20		* unaccredited	Breaches in multiple catchments suggests that a contributing factor is diffuse pollution form large areas of applications. As a granular application, soil incorporation should be ensured and run-off risk should be minimal, therefore transport practice and machinery on the road may warrant further awareness raising across industry in this area.
13/03/2019	Augres Blended Raw Water	Metobromuron	0.10		* unaccredited	Metobromuron was promoted to a green product by AFCW in 2018 and was suggested as a good replacement for Linuron which was banned from use on the 31st December 2017. January 2019 was relatively dry, with only 11mm received on average across the island u
13/03/2019	VDLM East Inlet to Res	Metobromuron	0.20		* unaccredited	Metobromuron was promoted to a green product by AFCW in 2018 and was suggested as a good replacement for Linuron which was banned from use on the 31st December 2017. January 2019 was relatively dry, with only 11mm received on average across the island u
13/03/2019	VDLM Pump/Top Strainer	Metobromuron	0.20		* unaccredited	Metobromuron was promoted to a green product by AFCW in 2018 and was suggested as a good replacement for Linuron which was banned from use on the 31st December 2017. January 2019 was relatively dry, with only 11mm received on average across the island u
13/03/2019	VDLM West Pt A	Metobromuron	1.70		* unaccredited	Metobromuron was promoted to a green product by AFCW in 2018 and was suggested as a good replacement for Linuron which was banned from use on the 31st December 2017. January 2019 was relatively dry, with only 11mm received on average across the island u
12/03/2019	VDLM Pump/Top Strainer	Metobromuron	0.20		* unaccredited	Metobromuron was promoted to a green product by AFCW in 2018 and was suggested as a good replacement for Linuron which was banned from use on the 31st December 2017. January 2019 was relatively dry, with only 11mm received on average across the island u
11/03/2019	Bellozanne	Ethoprophos	0.14			Breaches in multiple catchments suggests that a contributing factor is diffuse pollution form large areas of applications. As a granular application, soil incorporation should be ensured and run-off risk should be minimal, therefore transport practice and machinery on the road may warrant further awareness raising across industry in this area.
11/03/2019	Grands Vaux Stream	Ethoprophos	0.22			Breaches in multiple catchments suggests that a contributing factor is diffuse pollution form large areas of applications. As a granular application, soil incorporation should be ensured and run-off risk should be minimal, therefore transport practice and machinery on the road may warrant further awareness raising across industry in this area.
11/03/2019	Augres Blended Raw Water	Metobromuron	0.10		* unaccredited	
11/03/2019	Handois Blended Raw Water	Metobromuron	0.10		* unaccredited	
11/03/2019	Rue a la Dame	Tebuconazole	0.14			

05/03/2019	Pont Marquet Stream	Ethoprophos	0.12			
05/03/2019	Greve de L'Ecq Stream	AMPA	0.22			Breaches in multiple catchments suggests that a contributing factor is diffuse pollution from large areas of applications. As a granular application, soil incorporation should be ensured and run-off risk should be minimal, therefore transport practice and machinery on the road may warrant further awareness raising across industry in this area.
05/03/2019	Grands Vaux Stream	Metribuzin	0.10			Due to the low level and unaccredited result, no further action is deemed appropriate. Further breaches will be monitored to compile a picture over the season, further detections in inappropriate catchments could suggest growers not complying with the vol
05/03/2019	Vallee des Vaux Stream	Metribuzin	0.62			Due to the low level and unaccredited result, no further action is deemed appropriate. Further breaches will be monitored to compile a picture over the season, further detections in inappropriate catchments could suggest growers not complying with the vol
05/03/2019	Vallee des Vaux Stream	Azoxystrobin	0.16			In 2018 there were 25 detections of Azoxystrobin in surface water. 88% of which occurred before the date of this detection. With only one detection so far in 2019, effort should be made to understand the dramatic reduction. Some of this may be due to rain
05/03/2019	Rue a la Dame	Tebuconazole	2.92			Previous investigation- remanant concs
05/03/2019	Bellozanne Side Stream	Glyphosate	0.15	398.00		Sampling commenced in Jan 2019- to be discussed at May AFCW Group
05/03/2019	Greve de L'Ecq Stream	Glyphosate	0.17	398.00		Sampling commenced in Jan 2019- to be discussed at May AFCW Group
05/03/2019	Le Mourier Combined	Glyphosate	0.14	398.00		Sampling commenced in Jan 2019- to be discussed at May AFCW Group
05/03/2019	Pont Marquet Stream	Glyphosate	0.18	398.00		Sampling commenced in Jan 2019- to be discussed at May AFCW Group
05/03/2019	Rue a la Dame	Glyphosate	1.09	398.00		Sampling commenced in Jan 2019- to be discussed at May AFCW Group
05/03/2019	Bellozanne Side Stream	Pendimethalin	0.12	0.58		The active breached five times in 2017, and only once in 2018. The readings on 05/03/2019 are likely the result of heavy rainfall immediately prior, combined with large areas of application resulting in diffuse pollution from a significant area. This comb
05/03/2019	Greve de L'Ecq Stream	Pendimethalin	0.53	0.58		The active breached five times in 2017, and only once in 2018. The readings on 05/03/2019 are likely the result of heavy rainfall immediately prior, combined with large areas of application resulting in diffuse pollution from a significant area. This comb
05/03/2019	Le Mourier Combined	Pendimethalin	0.20	0.58		The active breached five times in 2017, and only once in 2018. The readings on 05/03/2019 are likely the result of heavy rainfall immediately prior, combined with large areas of application resulting in diffuse pollution from a significant area. This comb
05/03/2019	Greve de L'Ecq Stream	Azoxystrobin	0.64			The Le Mourier combined result is significantly higher and should that detection be accredited, resources should be put into tracing a possible point source pollution incident. The remainder should be monitored at this time to ensure any variation is related to rainfall rather than practice.
05/03/2019	Grands Vaux Stream	Boscalid	2.27			The relatively low rainfall preceding the breach could suggest that other contributing factors play a role in the breach. However considering the low breach levels, i.e. marginally above the statutory limit, further sampling results are needed to inform t
05/03/2019	Grands Vaux Stream	Epoxiconazole	0.25			The relatively low rainfall preceding the breach could suggest that other contributing factors play a role in the breach. However considering the low breach levels, i.e. marginally above the statutory limit, further sampling results are needed to inform t

05/03/2019	Grands Vaux Stream	Tebuconazole	0.14			The relatively low rainfall preceding the breach could suggest that other contributing factors play a role in the breach. However considering the low breach levels, i.e. marginally above the statutory limit, further sampling results are needed to inform t
05/03/2019	Grands Vaux Stream	Ethoprophos	0.14			Breaches in multiple catchments suggests that a contributing factor is diffuse pollution form large areas of applications. As a granular application, soil incorporation should be ensured and run-off risk should be minimal, therefore transport practice and machinery on the road may warrant further awareness raising across industry in this area.
05/03/2019	Greve de L'Ecq Stream	Ethoprophos	0.73			Breaches in multiple catchments suggests that a contributing factor is diffuse pollution form large areas of applications. As a granular application, soil incorporation should be ensured and run-off risk should be minimal, therefore transport practice and machinery on the road may warrant further awareness raising across industry in this area.
05/03/2019	Le Mourier Combined	Ethoprophos	5.92			Breaches in multiple catchments suggests that a contributing factor is diffuse pollution form large areas of applications. As a granular application, soil incorporation should be ensured and run-off risk should be minimal, therefore transport practice and machinery on the road may warrant further awareness raising across industry in this area.
05/03/2019	Le Mourier Combined	Ethoprophos	5.92			Breaches in multiple catchments suggests that a contributing factor is diffuse pollution form large areas of applications. As a granular application, soil incorporation should be ensured and run-off risk should be minimal, therefore transport practice and machinery on the road may warrant further awareness raising across industry in this area.
05/03/2019	Le Mourier Combined	AMPA	0.19			
05/03/2019	Rue a la Dame	AMPA	0.11			
05/03/2019	Bellozanne	Azoxystrobin	0.27			
04/03/2019	Queens Valley Stream	AMPA	0.27			Breakdown product of glyphosate, to be discussed at the next AFCW meeting
04/03/2019	La Hague Dip	Metobromuron	0.10		*	Metobromuron was promoted to a green product by AFCW in 2018 and was suggested as a good replacement for Linuron which was banned from use on the 31st December 2017. January 2019 was relatively dry, with only 11mm received on average across the island u unaccredited
04/03/2019	VDLM Pump/Top Strainer	Metobromuron	0.10		*	Metobromuron was promoted to a green product by AFCW in 2018 and was suggested as a good replacement for Linuron which was banned from use on the 31st December 2017. January 2019 was relatively dry, with only 11mm received on average across the island u unaccredited
04/03/2019	VDLM Pump/Top Strainer	Fludioxonil	0.50		*	Samples taken from the water processing plant at the time this water was being blended (at a rate of 50/50) did not detect any Fludioxonil. This sheds some doubt on the accuracy of this unaccredited test result. The following sampling (12/3/19) also did n unaccredited
04/03/2019	Queens Valley Stream	Glyphosate	1.05	398.00		Sampling commenced in Jan 2019- to be discussed at May AFCW Group
04/03/2019	Tesson	Ethoprophos	0.25			Breaches in multiple catchments suggests that a contributing factor is diffuse pollution form large areas of applications. As a granular application, soil incorporation should be ensured and run-off risk should be minimal, therefore transport practice and machinery on the road may warrant further awareness raising across industry in this area.
04/03/2019	VDLM West Pt A	Ethoprophos	0.95			Breaches in multiple catchments suggests that a contributing factor is diffuse pollution form large areas of applications. As a granular application, soil incorporation should be ensured

						and run-off risk should be minimal, therefore transport practice and machinery on the road may warrant further awareness raising across industry in this area.
25/02/2019	La Hague Dip	Metobromuron	0.10		*	Metobromuron was promoted to a green product by AFCW in 2018 and was suggested as a good replacement for Linuron which was banned from use on the 31st December 2017.
					unaccredited	January 2019 was relatively dry, with only 11mm received on average across the island u
25/02/2019	VDLM Pump/Top Strainer	Metobromuron	0.10		*	Metobromuron was promoted to a green product by AFCW in 2018 and was suggested as a good replacement for Linuron which was banned from use on the 31st December 2017.
					unaccredited	January 2019 was relatively dry, with only 11mm received on average across the island u
25/02/2019	VDLM West Pt A	Ethoprophos	0.18			Breaches in multiple catchments suggests that a contributing factor is diffuse pollution form large areas of applications. As a granular application, soil incorporation should be ensured and run-off risk should be minimal, therefore transport practice and machinery on the road may warrant further awareness raising across industry in this area.
18/02/2019	Bellozanne Side Stream	Diuron	0.16	1.80		Due to its previous approval as both an amateur and professional product the active was widely available. The professional crop uses were limited to crops grown in relatively small areas on the island and as such this detection could likely be the result
18/02/2019	VDLM West Pt A	Ethoprophos	0.31			Breaches in multiple catchments suggests that a contributing factor is diffuse pollution form large areas of applications. As a granular application, soil incorporation should be ensured and run-off risk should be minimal, therefore transport practice and machinery on the road may warrant further awareness raising across industry in this area.
12/02/2019	Millbrook Res Out	Metobromuron	0.20		*	Metobromuron was promoted to a green product by AFCW in 2018 and was suggested as a good replacement for Linuron which was banned from use on the 31st December 2017.
					unaccredited	January 2019 was relatively dry, with only 11mm received on average across the island u
11/02/2019	Queens Valley Side Stream	Glyphosate	0.15	398.00		Sampling commenced in Jan 2019- to be discussed at May AFCW Group
11/02/2019	Queens Valley Stream	Glyphosate	0.15	398.00		Sampling commenced in Jan 2019- to be discussed at May AFCW Group
11/02/2019	VDLM West Pt A	Pendimethalin	0.12	0.58		The active breached five times in 2017, and only once in 2018. The readings on 05/03/2019 are likely the result of heavy rainfall immediately prior, combined with large areas of application resulting in diffuse pollution from a significant area. This comb
11/02/2019	VDLM West Pt A	Ethoprophos	0.73			Breaches in multiple catchments suggests that a contributing factor is diffuse pollution form large areas of applications. As a granular application, soil incorporation should be ensured and run-off risk should be minimal, therefore transport practice and machinery on the road may warrant further awareness raising across industry in this area.
11/02/2019	VDLM West Pt A	Prosulfocarb	0.24			Breaches in multiple catchments suggests that a contributing factor is diffuse pollution form large areas of applications. As a granular application, soil incorporation should be ensured and run-off risk should be minimal, therefore transport practice and machinery on the road may warrant further awareness raising across industry in this area.
04/02/2019	Queens Valley Stream	AMPA	0.18			Breakdown product of glyphosate, to be discussed at the next AFCW meeting
04/02/2019	La Hague Stream	Glyphosate	0.48	398.00		Sampling commenced in Jan 2019- to be discussed at May AFCW Group
04/02/2019	Pont Marquet Stream	Glyphosate	0.12	398.00		Sampling commenced in Jan 2019- to be discussed at May AFCW Group

04/02/2019	Queens Valley Side Stream	Glyphosate	0.12	398.00		Sampling commenced in Jan 2019- to be discussed at May AFCW Group
04/02/2019	Queens Valley Stream	Glyphosate		398.00		The level of detection may suggest a point source rather than diffuse event and as such an investigation into the source will help eliminate inappropriate use. The large size of the catchment means that locating a point source by visual means is impractic
04/02/2019	VDLM West Pt A	Ethoprophos	0.12			Breaches in multiple catchments suggests that a contributing factor is diffuse pollution form large areas of applications. As a granular application, soil incorporation should be ensured and run-off risk should be minimal, therefore transport practice and machinery on the road may warrant further awareness raising across industry in this area.
29/01/2019	Queens Valley Stream	AMPA	0.12			Breakdown product of glyphosate, to be discussed at the next AFCW meeting
29/01/2019	Handois East Pt A	Glyphosate	0.16	398.00		Sampling commenced in Jan 2019- to be discussed at May AFCW Group
28/01/2019	La Hague Dip	Metobromuron	0.70		* unaccredited	Metobromuron was promoted to a green product by AFCW in 2018 and was suggested as a good replacement for Linuron which was banned from use on the 31st December 2017. January 2019 was relatively dry, with only 11mm received on average across the island u
21/01/2019	Handois East Pt A	Glyphosate	0.35	398.00		Sampling commenced in Jan 2019- to be discussed at May AFCW Group
21/01/2019	Grands Vaux Stream	Boscalid	0.14			The relatively low rainfall preceding the breach could suggest that other contributing factors play a role in the breach. However considering the low breach levels, i.e. marginally above the statutory limit, further sampling results are needed to inform t
21/01/2019	Grands Vaux Stream	Tebuconazole	0.10			The relatively low rainfall preceding the breach could suggest that other contributing factors play a role in the breach. However considering the low breach levels, i.e. marginally above the statutory limit, further sampling results are needed to inform t
08/01/2019	VDLM East Inlet to Res	AMPA	0.12			Breakdown product of glyphosate, to be discussed at the next AFCW meeting
07/01/2019	Queens Valley Stream	AMPA	0.12			Breakdown product of glyphosate, to be discussed at the next AFCW meeting
23/07/2018	La Hague Dip	Azoxystrobin	0.19			Number of detection monitored and Action for Clean Water Group agreed to make it an amber pesticide- not to be used in Val de al Mare, Queens Valley and Handois catchments
02/07/2018	Augres Untreated Water	Metobromuron	0.10			
02/07/2018	Queens Valley Pump/Top Strainer	Metobromuron	0.20			
02/07/2018	VDLM Pump/Top Strainer	Metobromuron	0.10			
18/06/2018	Augres Untreated Water	Metobromuron	0.10			
18/06/2018	Grands Vaux Pump/Top Strainer	Metobromuron	0.10			
18/06/2018	VDLM Pump/Top Strainer	Metobromuron	0.10			
11/06/2018	Augres Untreated Water	Metobromuron	0.20			
11/06/2018	Grands Vaux Pump/Top Strainer	Metobromuron	0.10			

11/06/2018	Handois Raw Water	Metobromuron	0.10		Re-test for incident on 21/03/2019	
11/06/2018	VDLM Pump/Top Strainer	Metobromuron	0.20			
04/06/2018	Grands Vaux Pump/Top Strainer	Metobromuron	0.20			
04/06/2018	Handois Raw Water	Metobromuron	0.10		Re-test for incident on 21/03/2019	
04/06/2018	Queens Valley Pump/Top Strainer	Metobromuron	0.20			
04/06/2018	VDLM Pump/Top Strainer	Metobromuron	0.20			
31/05/2018	Queens Valley Stream	Metribuzin	0.21			Action for Cleaner Water Group- Red list pesticide- can only be used outside of Jersey Water catchments
29/05/2018	Augres Untreated Water	Metobromuron	0.20			
29/05/2018	Handois Raw Water	Metobromuron	0.20		Re-test for incident on 21/03/2019	
29/05/2018	Queens Valley Pump/Top Strainer	Metobromuron	0.10			
29/05/2018	VDLM Pump/Top Strainer	Metobromuron	0.30			
22/05/2018	Bellozanne Side Stream	Linuron	0.19	0.90		The use of a revoked (and thus illegal) active in a relatively small catchment warrants further resources. In this instance, an inspection of the local farm and catchment sampling are the methods most likely to yield any further information, upon which fu
21/05/2018	Augres Untreated Water	Metobromuron	0.10			
21/05/2018	Grands Vaux Pump/Top Strainer	Metobromuron	0.20			
21/05/2018	Handois Raw Water	Metobromuron	0.20		Re-test for incident on 21/03/2019	
21/05/2018	VDLM Pump/Top Strainer	Metobromuron	0.20			
14/05/2018	Augres Untreated Water	Metobromuron	0.10			
14/05/2018	Grands Vaux Pump/Top Strainer	Metobromuron	0.20			
14/05/2018	Handois Raw Water	Metobromuron	0.10		Re-test for incident on 21/03/2019	
14/05/2018	VDLM Pump/Top Strainer	Metobromuron	0.30			

08/05/2018	Grands Vaux Pump/Top Strainer	Ethoprophos	0.12			
08/05/2018	Augres Untreated Water	Metobromuron	0.10			
08/05/2018	Grands Vaux Pump/Top Strainer	Metobromuron	0.20			
08/05/2018	Handois Raw Water	Metobromuron	0.20		Re-test for incident on 21/03/2019	
08/05/2018	VDLM Pump/Top Strainer	Metobromuron	0.30			
02/05/2018	Queens Valley Stream	Metribuzin	0.36			Action for Cleaner Water Group- Red list pesticide- can only be used outside of Jersey Water catchments
30/04/2018	Grands Vaux Pump/Top Strainer	Ethoprophos	0.14			
30/04/2018	Handois Res out	Ethoprophos	0.11			
30/04/2018	Augres Untreated Water	Metobromuron	0.10		Re-test for incident on 21/03/2019	
30/04/2018	Grands Vaux Pump/Top Strainer	Metobromuron	0.30			
30/04/2018	Handois Raw Water	Metobromuron	0.20		Re-test for incident on 21/03/2019	
30/04/2018	Handois Res Out	Metobromuron	0.10		Re-test for incident on 21/03/2019	
30/04/2018	VDLM Pump/Top Strainer	Metobromuron	0.30			
25/04/2018	Queens Valley Stream	Metribuzin	0.21			Action for Cleaner Water Group- Red list pesticide- can only be used outside of Jersey Water catchments
23/04/2018	Handois Res out	Ethoprophos	0.13			
23/04/2018	Augres Untreated Water	Metobromuron	0.10			
23/04/2018	Grands Vaux Pump/Top Strainer	Metobromuron	0.30			
23/04/2018	Handois Raw Water	Metobromuron	0.20		Re-test for incident on 21/03/2019	
23/04/2018	Handois Res Out	Metobromuron	0.10		Re-test for incident on 21/03/2019	
23/04/2018	VDLM Pump/Top Strainer	Metobromuron	0.30			

23/04/2018	VDLM West Pt A	Metobromuron	0.20			
18/04/2018	Queens Valley Stream	Metribuzin	4.55			Due to the high concentration and use of an active restricted in a high risk catchment by the AFCW voluntary initiative, point source pollution is suspected. Together with the limited number of EAMUs and timing, this breach is most likely linked to a pota
18/04/2018	Queens Valley Stream	Azoxystrobin	0.48			The breach affects a priority catchment (Handois West), within which the majority of potato growers (through AfCW) have agreed not to use this active, because of its proclivity to pollute water courses. Therefore an investigation to determine its use woul
17/04/2018	Handois West Stream	Ethoprophos	0.20			An investigation is not warranted at this time as diffuse pollution is the likely cause with very high rainfall being recorded in January contributing to the problem, and significant areas within the other catchments being planted in late February & early
16/04/2018	Handois Raw Water	Ethoprophos	0.17			
16/04/2018	Handois Res out	Ethoprophos	0.11			
16/04/2018	Grands Vaux Pump/Top Strainer	Metobromuron	0.30			
16/04/2018	Handois Raw Water	Metobromuron	0.10		Re-test for incident on 21/03/2019	
16/04/2018	Handois Res out	Metobromuron	0.10		Re-test for incident on 21/03/2019	
16/04/2018	La Hague Dip	Metobromuron	0.20			
16/04/2018	VDLM Pump/Top Strainer	Metobromuron	0.30			
16/04/2018	VDLM West Pt A	Metobromuron	0.30			
16/04/2018	Grands Vaux Pump/Top Strainer	Ethoprophos	0.22			An investigation is not warranted at this time as diffuse pollution is the likely cause with very high rainfall being recorded in January contributing to the problem, and significant areas within the other catchments being planted in late February & early
16/04/2018	La Hague Dip	Ethoprophos	0.16			An investigation is not warranted at this time as diffuse pollution is the likely cause with very high rainfall being recorded in January contributing to the problem, and significant areas within the other catchments being planted in late February & early
10/04/2018	Handois West Stream	Ethoprophos	1.91			An investigation is not warranted at this time as diffuse pollution is the likely cause with very high rainfall being recorded in January contributing to the problem, and significant areas within the other catchments being planted in late February & early
09/04/2018	Grands Vaux Stream	Ethoprophos	0.37			
09/04/2018	Augres Untreated Water	Metobromuron	0.40			
09/04/2018	Grands Vaux Pump/Top Strainer	Metobromuron	0.20			
09/04/2018	Handois Raw Water	Metobromuron	0.10		Re-test for incident on 21/03/2019	

09/04/2018	VDLM East Inlet to Res	Metobromuron	0.10			
09/04/2018	VDLM Pump/Top Strainer	Metobromuron	0.20			
09/04/2018	VDLM West Pt A	Metobromuron	0.30			
09/04/2018	Augres Untreated Water	Ethoprophos	0.20			An investigation is not warranted at this time as diffuse pollution is the likely cause with very high rainfall being recorded in January contributing to the problem, and significant areas within the other catchments being planted in late February & early
09/04/2018	Grands Vaux Pump/Top Strainer	Ethoprophos	0.21			An investigation is not warranted at this time as diffuse pollution is the likely cause with very high rainfall being recorded in January contributing to the problem, and significant areas within the other catchments being planted in late February & early
05/04/2018	Fernlands Stream	Ethoprophos	0.13			
05/04/2018	Grands Vaux Stream	Ethoprophos	0.18			
03/04/2018	Augres Untreated Water	Metobromuron	0.30			
03/04/2018	Grands Vaux Pump/Top Strainer	Metobromuron	0.30			
03/04/2018	Handois Raw Water	Metobromuron	0.20		Re-test for incident on 21/03/2019	
03/04/2018	VDLM East Inlet to Res	Metobromuron	0.40			
03/04/2018	VDLM Pump/Top Strainer	Metobromuron	0.40			
03/04/2018	VDLM West Pt A	Metobromuron	1.40			
03/04/2018	Augres Untreated Water	Ethoprophos	0.19			An investigation is not warranted at this time as diffuse pollution is the likely cause with very high rainfall being recorded in January contributing to the problem, and significant areas within the other catchments being planted in late February & early
03/04/2018	Grands Vaux Pump/Top Strainer	Ethoprophos	0.20			An investigation is not warranted at this time as diffuse pollution is the likely cause with very high rainfall being recorded in January contributing to the problem, and significant areas within the other catchments being planted in late February & early
03/04/2018	Greve de L'Ecq	Ethoprophos	0.12			An investigation is not warranted at this time as diffuse pollution is the likely cause with very high rainfall being recorded in January contributing to the problem, and significant areas within the other catchments being planted in late February & early
03/04/2018	Handois West Stream	Ethoprophos	0.84			An investigation is not warranted at this time as diffuse pollution is the likely cause with very high rainfall being recorded in January contributing to the problem, and significant areas within the other catchments being planted in late February & early
03/04/2018	VDLM East Inlet to Res	Ethoprophos	0.18			An investigation is not warranted at this time as diffuse pollution is the likely cause with very high rainfall being recorded in January contributing to the problem, and significant areas within the other catchments being planted in late February & early
26/03/2018	Handois Raw Water	Metobromuron	0.20		Re-test for incident on 21/03/2019	

26/03/2018	VDLM Pump/Top Strainer	Metobromuron	0.30			
21/03/2018	Handois Raw Water	Metobromuron	0.10		Fully investigated.	
21/03/2018	VDLM East Inlet to Res	Metobromuron	0.10			
21/03/2018	VDLM Pump/Top Strainer	Metobromuron	0.30			
21/03/2018	VDLM West Pt A	Metobromuron	0.50			
20/03/2018	Handois East Pt A	Azoxystrobin	0.11			The breach affects a priority catchment (Handois West), within which the majority of potato growers (through AfCW) have agreed not to use this active, because of its proclivity to pollute water courses. Therefore an investigation to determine its use woul
19/03/2018	Greve de L'Ecq	Ethoprophos	0.10			An investigation is not warranted at this time as diffuse pollution is the likely cause with very high rainfall being recorded in January contributing to the problem, and significant areas within the other catchments being planted in late February & early
14/03/2018	Bellozanne Stream	Ethoprophos	0.16			An investigation is not warranted at this time as diffuse pollution is the likely cause with very high rainfall being recorded in January contributing to the problem, and significant areas within the other catchments being planted in late February & early
12/03/2018	VDLM Pump/Top Strainer	Metobromuron	0.20			
12/03/2018	Greve de L'Ecq	Ethoprophos	0.18			An investigation is not warranted at this time as diffuse pollution is the likely cause with very high rainfall being recorded in January contributing to the problem, and significant areas within the other catchments being planted in late February & early
12/03/2018	VDLM West Pt A	Ethoprophos	0.12			An investigation is not warranted at this time as diffuse pollution is the likely cause with very high rainfall being recorded in January contributing to the problem, and significant areas within the other catchments being planted in late February & early
06/03/2018	Bellozanne Stream	Ethoprophos	0.32			An investigation is not warranted at this time as diffuse pollution is the likely cause with very high rainfall being recorded in January contributing to the problem, and significant areas within the other catchments being planted in late February & early
05/03/2018	Greve de L'Ecq	Ethoprophos	0.20			An investigation is not warranted at this time as diffuse pollution is the likely cause with very high rainfall being recorded in January contributing to the problem, and significant areas within the other catchments being planted in late February & early
05/03/2018	VDLM West Pt A	Ethoprophos	0.60			An investigation is not warranted at this time as diffuse pollution is the likely cause with very high rainfall being recorded in January contributing to the problem, and significant areas within the other catchments being planted in late February & early
05/03/2018	VDLM West Pt A	Pendimethalin	0.28	0.58		Pendimethalin has been suggested (AfCW) as a good replacement for other higher risk herbicides in red catchments, and saw increased use in 2017 with fewer breaches (2017 Industry update). The conclusion is to monitor this breach at this time. Significant
26/02/2018	Handois Res Out	Azoxystrobin	0.14			The breach affects a priority catchment (Handois West), within which the majority of potato growers (through AfCW) have agreed not to use this active, because of its proclivity to pollute water courses. Therefore an investigation to determine its use woul

20/02/2018	Dannemarche Stream	Azoxystrobin	0.11			The breach affects a priority catchment (Handois West), within which the majority of potato growers (through AfCW) have agreed not to use this active, because of its proclivity to pollute water courses. Therefore an investigation to determine its use woul
19/02/2018	Handois Res Out	Azoxystrobin	0.18			The breach affects a priority catchment (Handois West), within which the majority of potato growers (through AfCW) have agreed not to use this active, because of its proclivity to pollute water courses. Therefore an investigation to determine its use woul
13/02/2018	Pont Marquet Stream	Ethoprophos	0.23			An investigation is not warranted at this time as diffuse pollution is the likely cause with very high rainfall being recorded in January contributing to the problem, and significant areas within the other catchments being planted in late February & early
12/02/2018	Handois Res Out	Azoxystrobin	0.21			The breach affects a priority catchment (Handois West), within which the majority of potato growers (through AfCW) have agreed not to use this active, because of its proclivity to pollute water courses. Therefore an investigation to determine its use woul
12/02/2018	Handois West Stream	Azoxystrobin	0.18			The breach affects a priority catchment (Handois West), within which the majority of potato growers (through AfCW) have agreed not to use this active, because of its proclivity to pollute water courses. Therefore an investigation to determine its use woul
05/02/2018	Handois Res Out	Azoxystrobin	0.24			The breach affects a priority catchment (Handois West), within which the majority of potato growers (through AfCW) have agreed not to use this active, because of its proclivity to pollute water courses. Therefore an investigation to determine its use woul
05/02/2018	Handois West Stream	Azoxystrobin	0.14			The breach affects a priority catchment (Handois West), within which the majority of potato growers (through AfCW) have agreed not to use this active, because of its proclivity to pollute water courses. Therefore an investigation to determine its use woul
29/01/2018	Handois Res Out	Azoxystrobin	0.27			The breach affects a priority catchment (Handois West), within which the majority of potato growers (through AfCW) have agreed not to use this active, because of its proclivity to pollute water courses. Therefore an investigation to determine its use woul
29/01/2018	Handois West Stream	Azoxystrobin	0.24			The breach affects a priority catchment (Handois West), within which the majority of potato growers (through AfCW) have agreed not to use this active, because of its proclivity to pollute water courses. Therefore an investigation to determine its use woul
24/01/2018	Dannemarche Stream	Azoxystrobin	0.13			The breach affects a priority catchment (Handois West), within which the majority of potato growers (through AfCW) have agreed not to use this active, because of its proclivity to pollute water courses. Therefore an investigation to determine its use woul
24/01/2018	Handois West Stream	Azoxystrobin	0.24			The breach affects a priority catchment (Handois West), within which the majority of potato growers (through AfCW) have agreed not to use this active, because of its proclivity to pollute water courses. Therefore an investigation to determine its use woul
24/01/2018	Millbrook Stream	Azoxystrobin	0.11			The breach affects a priority catchment (Handois West), within which the majority of potato growers (through AfCW) have agreed not to use this active, because of its proclivity to pollute water courses. Therefore an investigation to determine its use woul
18/01/2018	Handois West Stream	Metribuzin	0.14			An investigation is warranted as the pesticide is affecting a number of catchments, including a priority catchment, and is likely related to a number of locations which may require a change of active/practice by a grower(s) relating to a crop.
18/01/2018	Handois West Stream	Azoxystrobin	0.89			The breach affects a priority catchment (Handois West), within which the majority of potato growers (through AfCW) have agreed not to use this active, because of its proclivity to pollute water courses. Therefore an investigation to determine its use woul
17/01/2018	St Catherine Stream	Metribuzin	0.14			An investigation is warranted as the pesticide is affecting a number of catchments, including a priority catchment, and is likely related to a number of locations which may require a change of active/practice by a grower(s) relating to a crop.

17/01/2018	Dannemarche Stream	Azoxystrobin	0.15			The breach affects a priority catchment (Handois West), within which the majority of potato growers (through AfCW) have agreed not to use this active, because of its proclivity to pollute water courses. Therefore an investigation to determine its use woul
15/01/2018	Grands Vaux Stream	Metribuzin	0.27			Action for Cleaner Water Group- Red list pesticide- can only be used outside of Jersey Water catchments
15/01/2018	Queens Valley Stream	Metribuzin	1.44			POLREP2018015 - fully invesigated
15/01/2018	Handois Raw	Azoxystrobin	0.10			The breach affects a priority catchment (Handois West), within which the majority of potato growers (through AfCW) have agreed not to use this active, because of its proclivity to pollute water courses. Therefore an investigation to determine its use woul
15/01/2018	Handois Res Out	Azoxystrobin	0.25			The breach affects a priority catchment (Handois West), within which the majority of potato growers (through AfCW) have agreed not to use this active, because of its proclivity to pollute water courses. Therefore an investigation to determine its use woul
11/01/2018	Dannemarche Stream	Azoxystrobin	0.14			The breach affects a priority catchment (Handois West), within which the majority of potato growers (through AfCW) have agreed not to use this active, because of its proclivity to pollute water courses. Therefore an investigation to determine its use woul
11/01/2018	Handois West Stream	Azoxystrobin	1.11			The breach affects a priority catchment (Handois West), within which the majority of potato growers (through AfCW) have agreed not to use this active, because of its proclivity to pollute water courses. Therefore an investigation to determine its use woul
08/01/2018	Handois Res Out	Azoxystrobin	0.14			The breach affects a priority catchment (Handois West), within which the majority of potato growers (through AfCW) have agreed not to use this active, because of its proclivity to pollute water courses. Therefore an investigation to determine its use woul
03/01/2018	Handois West Stream	Metribuzin	0.24			An investigation is warranted as the pesticide is affecting a number of catchments, including a priority catchment, and is likely related to a number of locations which may require a change of active/practice by a grower(s) relating to a crop.
03/01/2018	Bellozanne Stream	Azoxystrobin	0.15			The breach affects a priority catchment (Handois West), within which the majority of potato growers (through AfCW) have agreed not to use this active, because of its proclivity to pollute water courses. Therefore an investigation to determine its use woul
03/01/2018	Handois West Stream	Azoxystrobin	0.11			The breach affects a priority catchment (Handois West), within which the majority of potato growers (through AfCW) have agreed not to use this active, because of its proclivity to pollute water courses. Therefore an investigation to determine its use woul
02/01/2018	Grands Vaux Pump/Top Strainer	Metribuzin	0.11			An investigation is warranted as the pesticide is affecting a number of catchments, including a priority catchment, and is likely related to a number of locations which may require a change of active/practice by a grower(s) relating to a crop.
02/01/2018	Vallee des Vaux Stream	Azoxystrobin	0.10			The breach affects a priority catchment (Handois West), within which the majority of potato growers (through AfCW) have agreed not to use this active, because of its proclivity to pollute water courses. Therefore an investigation to determine its use woul
27/12/2017	Grands Vaux Pump/Top Strainer	Metribuzin	0.12			An investigation is warranted as the pesticide is affecting a number of catchments, including a priority catchment, and is likely related to a number of locations which may require a change of active/practice by a grower(s) relating to a crop.
18/12/2017	GRANDS VAUX PUMP/TOP STRAINER	Metribuzin	0.17			An investigation is warranted as the pesticide is affecting a number of catchments, including a priority catchment, and is likely related to a number of locations which may require a change of active/practice by a grower(s) relating to a crop.
18/12/2017	Handois Res Out	Metribuzin	0.10			An investigation is warranted as the pesticide is affecting a number of catchments, including a priority catchment, and is likely related to a number of locations which may require a change of active/practice by a grower(s) relating to a crop.

11/12/2017	VALLEE DES VAUX	Boscalid	0.19			
11/12/2017	GRANDS VAUX PUMP/TOP STRAINER	Metribuzin	0.19			An investigation is warranted as the pesticide is affecting a number of catchments, including a priority catchment, and is likely related to a number of locations which may require a change of active/practice by a grower(s) relating to a crop.
11/12/2017	Grands Vaux Stream	Metribuzin	0.29			An investigation is warranted as the pesticide is affecting a number of catchments, including a priority catchment, and is likely related to a number of locations which may require a change of active/practice by a grower(s) relating to a crop.
11/12/2017	LA HAGUE DIP	Metribuzin	0.14			An investigation is warranted as the pesticide is affecting a number of catchments, including a priority catchment, and is likely related to a number of locations which may require a change of active/practice by a grower(s) relating to a crop.
04/12/2017	GRANDS VAUX PUMP/TOP STRAINER	Metribuzin	0.17			An investigation is warranted as the pesticide is affecting a number of catchments, including a priority catchment, and is likely related to a number of locations which may require a change of active/practice by a grower(s) relating to a crop.
28/11/2017	HANDOIS WEST STREAM	Boscalid	0.26			
27/11/2017	GRANDS VAUX PUMP/TOP STRAINER	Metribuzin	0.12			An investigation is warranted as the pesticide is affecting a number of catchments, including a priority catchment, and is likely related to a number of locations which may require a change of active/practice by a grower(s) relating to a crop.
19/09/2017	VALLEE DES VAUX	Metazachlor	0.48		Fully investigated.	
12/09/2017	VALLEE DES VAUX	Metazachlor	0.59		Fully investigated.	
05/09/2017	VALLEE DES VAUX	Metazachlor	0.18			
30/05/2017	VDLM PUMP/TOP STRAINER	Prosulfocarb	0.12			Number of detections monitored and AFCW group recommended to make an Amber product and reduce application rate
24/05/2017	BELLOZANNE SIDE STREAM	Pendimethalin	0.20	0.58		Number of detection monitored and Action for Clean Water Group agreed to make it a green pesticide- can be used in all catchments and pesticide of choice for red catchments (Val de la mare, Queens Valley and Handois)
22/05/2017	QUEENS VALLEY PUMP/TOP STRAINER	Prosulfocarb	0.11			Number of detections monitored and AFCW group recommended to make an Amber product and reduce application rate
22/05/2017	VDLM PUMP/TOP STRAINER	Prosulfocarb	0.14			Number of detections monitored and AFCW group recommended to make an Amber product and reduce application rate
18/05/2017	VDLM PUMP/TOP STRAINER	Prosulfocarb	0.18			Number of detections monitored and AFCW group recommended to make an Amber product and reduce application rate
18/05/2017	VDLM EAST INLET TO RES	Ethoprophos	0.24			POLREP2017096 - fully investigated
17/05/2017	FERNLANDS STREAM	Tebuconazole	1.34			
17/05/2017	HANDOIS WEST STREAM	Ethoprophos	0.96			POLREP2017096 - fully investigated
15/05/2017	AUGRES UNTREATED WATER	Prosulfocarb	0.10			Number of detections monitored and AFCW group recommended to make an Amber product and reduce application rate

15/05/2017	QUEENS VALLEY PUMP/TOP STRAINER	Prosulfocarb	0.13			Number of detections monitored and AFCW group recommended to make an Amber product and reduce application rate
11/05/2017	QUEENS VALLEY PUMP/TOP STRAINER	Prosulfocarb	0.13			Number of detections monitored and AFCW group recommended to make an Amber product and reduce application rate
10/05/2017	VDLM EAST INLET TO RES	Ethoprophos	0.10			
08/05/2017	LE MOURIER COMBINED STREAM	Ethoprophos	0.14			
08/05/2017	VDLM PUMP/TOP STRAINER	Prosulfocarb	0.16			Number of detections monitored and AFCW group recommended to make an Amber product and reduce application rate
04/05/2017	BELLOZANNE	Ethoprophos				
04/05/2017	HANDOIS WEST STREAM	Ethoprophos	0.17			
04/05/2017	BELLOZANNE	Linuron	0.29	0.90		
03/05/2017	LE MOURIER COMBINED STREAM	Ethoprophos				
03/05/2017	QUEENS VALLEY STREAM	Ethoprophos	0.13			
03/05/2017	VALLEE DES VAUX	Ethoprophos	0.17			
02/05/2017	VDLM EAST INLET TO RES	Ethofumesate				
02/05/2017	HANDOIS RAW WATER	Prosulfocarb	0.13			Number of detections monitored and AFCW group recommended to make an Amber product and reduce application rate
02/05/2017	QUEENS VALLEY PUMP/TOP STRAINER	Prosulfocarb	0.14			Number of detections monitored and AFCW group recommended to make an Amber product and reduce application rate
02/05/2017	VDLM PUMP/TOP STRAINER	Prosulfocarb	0.20			Number of detections monitored and AFCW group recommended to make an Amber product and reduce application rate
25/04/2017	QUEENS VALLEY PUMP/TOP STRAINER	Prosulfocarb	0.18			Number of detections monitored and AFCW group recommended to make an Amber product and reduce application rate
24/04/2017	AUGRES UNTREATED WATER	Prosulfocarb	0.14			Number of detections monitored and AFCW group recommended to make an Amber product and reduce application rate
24/04/2017	HANDOIS RAW WATER	Prosulfocarb	0.16			Number of detections monitored and AFCW group recommended to make an Amber product and reduce application rate
24/04/2017	VDLM PUMP/TOP STRAINER	Prosulfocarb	0.31			Number of detections monitored and AFCW group recommended to make an Amber product and reduce application rate
20/04/2017	VDLM PUMP/TOP STRAINER	Ethoprophos	0.11			

20/04/2017	VDLM PUMP/TOP STRAINER	Prosulfocarb	0.22			Number of detections monitored and AFCW group recommended to make an Amber product and reduce application rate
11/04/2017	QUEENS VALLEY PUMP/TOP STRAINER	Prosulfocarb	0.16			Number of detections monitored and AFCW group recommended to make an Amber product and reduce application rate
10/04/2017	HANDOIS RAW WATER	Ethoprophos	0.11			
10/04/2017	VDLM PUMP/TOP STRAINER	Ethoprophos	0.14			
10/04/2017	AUGRES UNTREATED WATER	Prosulfocarb	0.23			Number of detections monitored and AFCW group recommended to make an Amber product and reduce application rate
10/04/2017	HANDOIS RAW WATER	Prosulfocarb	0.33			Number of detections monitored and AFCW group recommended to make an Amber product and reduce application rate
10/04/2017	HANDOIS RES OUT	Prosulfocarb	0.10			Number of detections monitored and AFCW group recommended to make an Amber product and reduce application rate
10/04/2017	VDLM PUMP/TOP STRAINER	Prosulfocarb	0.23			Number of detections monitored and AFCW group recommended to make an Amber product and reduce application rate
04/04/2017	QUEENS VALLEY PUMP/TOP STRAINER	Prosulfocarb	0.23			Number of detections monitored and AFCW group recommended to make an Amber product and reduce application rate
03/04/2017	HANDOIS RAW WATER	Ethoprophos	0.13			
03/04/2017	HANDOIS RES OUT	Ethoprophos	0.14			
03/04/2017	VDLM PUMP/TOP STRAINER	Ethoprophos	0.14			
03/04/2017	AUGRES UNTREATED WATER	Prosulfocarb	0.17			Number of detections monitored and AFCW group recommended to make an Amber product and reduce application rate
03/04/2017	HANDOIS RAW WATER	Prosulfocarb	0.37			Number of detections monitored and AFCW group recommended to make an Amber product and reduce application rate
03/04/2017	HANDOIS RES OUT	Prosulfocarb	0.17			Number of detections monitored and AFCW group recommended to make an Amber product and reduce application rate
03/04/2017	VDLM PUMP/TOP STRAINER	Prosulfocarb	0.47			Number of detections monitored and AFCW group recommended to make an Amber product and reduce application rate
28/03/2017	QUEENS VALLEY STREAM	Ethoprophos	0.12			
28/03/2017	QUEENS VALLEY PUMP/TOP STRAINER	Prosulfocarb	0.22			Number of detections monitored and AFCW group recommended to make an Amber product and reduce application rate
27/03/2017	Handois East Pt A	Ethoprophos	0.16			
27/03/2017	HANDOIS RAW WATER	Ethoprophos	0.14			

27/03/2017	HANDOIS RES OUT	Ethoprophos	0.16			
27/03/2017	VDLM PUMP/TOP STRAINER	Ethoprophos	0.15			
27/03/2017	AUGRES UNTREATED WATER	Prosulfocarb	0.17			Number of detections monitored and AFCW group recommended to make an Amber product and reduce application rate
27/03/2017	HANDOIS RAW WATER	Prosulfocarb	0.47			Number of detections monitored and AFCW group recommended to make an Amber product and reduce application rate
27/03/2017	HANDOIS RES OUT	Prosulfocarb	0.22			Number of detections monitored and AFCW group recommended to make an Amber product and reduce application rate
27/03/2017	VDLM PUMP/TOP STRAINER	Prosulfocarb	0.66			Number of detections monitored and AFCW group recommended to make an Amber product and reduce application rate
22/03/2017	Handois East Pt A	Ethoprophos	0.23			
21/03/2017	Queens Valley Stream	Ethoprophos	0.14			
20/03/2017	HANDOIS RAW	Ethoprophos	0.17			
20/03/2017	HANDOIS RES OUT	Ethoprophos	0.18			
20/03/2017	VDLM PUMP/TOP STRAINER	Ethoprophos	0.15			
16/03/2017	HANDOIS EAST PT A	Ethoprophos	0.69			
16/03/2017	HANDOIS EAST PT A	Linuron	0.10	0.90		
15/03/2017	Le Mourier Combined Stream	Ethoprophos	0.20			
14/03/2017	QUEENS VALLEY PUMP/TOP STRAINER	Ethoprophos	0.11			
14/03/2017	QUEENS VALLEY STREAM	Ethoprophos	0.17			
14/03/2017	QUEENS VALLEY PUMP/TOP STRAINER	Prosulfocarb	0.33			Number of detections monitored and AFCW group recommended to make an Amber product and reduce application rate
14/03/2017	VDLM PUMP/TOP STRAINER	Prosulfocarb	0.89			Number of detections monitored and AFCW group recommended to make an Amber product and reduce application rate
13/03/2017	HANDOIS RAW WATER	Ethoprophos	0.14			
13/03/2017	HANDOIS RESERVOIR OUTLET	Ethoprophos	0.16			
13/03/2017	VDLM PUMP/TOP STRAINER	Ethoprophos	0.11			

13/03/2017	VDLM WEST PT A	Ethoprophos	0.43			
13/03/2017	VDLM WEST PT A	Pendimethalin	0.10	0.58		Number of detection monitored and Action for Clean Water Group agreed to make it a green pesticide- can be used in all catchments and pesticide of choice for red catchments (Val de la mare, Queens Valley and Handois)
13/03/2017	AUGRES UNTREATED WATER	Prosulfocarb	0.18			Number of detections monitored and AFCW group recommended to make an Amber product and reduce application rate
13/03/2017	HANDOIS RAW WATER	Prosulfocarb	0.52			Number of detections monitored and AFCW group recommended to make an Amber product and reduce application rate
13/03/2017	HANDOIS RESERVOIR OUTLET	Prosulfocarb	0.35			Number of detections monitored and AFCW group recommended to make an Amber product and reduce application rate
13/03/2017	VDLM EAST SIDE 2	Prosulfocarb	0.86			Number of detections monitored and AFCW group recommended to make an Amber product and reduce application rate
13/03/2017	VDLM WEST PT A	Prosulfocarb				Number of detections monitored and AFCW group recommended to make an Amber product and reduce application rate
09/03/2017	QUEENS VALLEY STREAM	Ethoprophos	1.12			
09/03/2017	QUEENS VALLEY STREAM	Linuron	0.20	0.90		
08/03/2017	VDLM EAST INLET TO RES	Ethoprophos	0.24			
08/03/2017	VDLM WEST PT A	Ethoprophos	2.43			
08/03/2017	VDLM WEST PT A	Pendimethalin	0.21	0.58		Number of detection monitored and Action for Clean Water Group agreed to make it a green pesticide- can be used in all catchments and pesticide of choice for red catchments (Val de la mare, Queens Valley and Handois)
08/03/2017	VDLM WEST PT A	Azoxystrobin	0.17			Number of detection monitored and Action for Clean Water Group agreed to make it an amber pesticide- not to be used in Val de al Mare, Queens Valley and Handois catchments
08/03/2017	VDLM Pump/Top Strainer	Prosulfocarb	0.74			Number of detections monitored and AFCW group recommended to make an Amber product and reduce application rate
07/03/2017	GREVE DE LECQ STREAM	Ethoprophos	0.72			
07/03/2017	HANDOIS EAST PT A	Ethoprophos	1.37			
07/03/2017	HANDOIS EAST PT A	Metribuzin	0.16			Action for Cleaner Water Group- Red list pesticide- can only be used outside of Jersey Water catchments
06/03/2017	LA HAGUE	Ethoprophos	0.22			
06/03/2017	LA HAGUE DIP	Ethoprophos	0.64			
06/03/2017	LE MOURIER COMBINED STREAM	Ethoprophos	22.20			
06/03/2017	TESSON	Ethoprophos	0.40			

06/03/2017	VALLEE DES VAUX	Metribuzin	0.23			Action for Cleaner Water Group- Red list pesticide- can only be used outside of Jersey Water catchments
06/03/2017	AUGRES UNTREATED WATER	Prosulfocarb	0.17			Number of detections monitored and AFCW group recommended to make an Amber product and reduce application rate
06/03/2017	HANDOIS RAW WATER	Prosulfocarb	0.37			Number of detections monitored and AFCW group recommended to make an Amber product and reduce application rate
06/03/2017	LE MOURIER COMBINED STREAM	Azoxystrobin	1.31			POLREP2017039 - fully investigated
06/03/2017	LE MOURIER COMBINED STREAM	Pendimethalin	0.42	0.58		POLREP2017039 - fully investigated
06/03/2017	VALLEE DES VAUX	Azoxystrobin	0.11			POLREP2017040 - fully investigated
06/03/2017	VALLEE DES VAUX	Linuron	1.21	0.90		POLREP2017040 - fully investigated
02/03/2017	HANDOIS EAST PT A	Ethoprophos	0.30			
01/03/2017	GREVE DE L'ECQ STREAM	Ethoprophos				
01/03/2017	GREVE DE L'ECQ STREAM	Metribuzin	0.17			Action for Cleaner Water Group- Red list pesticide- can only be used outside of Jersey Water catchments
01/03/2017	GREVE DE L'ECQ STREAM	Azoxystrobin	0.20			Number of detection monitored and Action for Clean Water Group agreed to make it an amber pesticide- not to be used in Val de al Mare, Queens Valley and Handois catchments
27/02/2017	LE MOURIER COMBINED STREAM	Ethoprophos	0.17			
27/02/2017	VDLM EAST INLET TO RES	Ethoprophos	0.11			
27/02/2017	FERNLANDS STREAM	Tebuconazole	0.34			
27/02/2017	VDLM EAST INLET TO RES	Azoxystrobin	0.12			Number of detection monitored and Action for Clean Water Group agreed to make it an amber pesticide- not to be used in Val de al Mare, Queens Valley and Handois catchments
27/02/2017	AUGRES UNTREATED WATER	Prosulfocarb	0.18			Number of detections monitored and AFCW group recommended to make an Amber product and reduce application rate
27/02/2017	HANDOIS RAW WATER	Prosulfocarb	0.37			Number of detections monitored and AFCW group recommended to make an Amber product and reduce application rate
27/02/2017	VDLM EAST INLET TO RES	Prosulfocarb	0.26			Number of detections monitored and AFCW group recommended to make an Amber product and reduce application rate
27/02/2017	VDLM Pump/Top Strainer	Prosulfocarb	0.78			Number of detections monitored and AFCW group recommended to make an Amber product and reduce application rate
27/02/2017	VDLM WEST PT A	Prosulfocarb	0.41			Number of detections monitored and AFCW group recommended to make an Amber product and reduce application rate

23/02/2017	VDLM EAST INLET TO RES	Azoxystrobin	0.45			Number of detection monitored and Action for Clean Water Group agreed to make it an amber pesticide- not to be used in Val de al Mare, Queens Valley and Handois catchments
15/02/2017	HANDOIS EAST PT A	Azoxystrobin	0.11			Number of detection monitored and Action for Clean Water Group agreed to make it an amber pesticide- not to be used in Val de al Mare, Queens Valley and Handois catchments
13/02/2017	Augres Untreated Water	Prosulfocarb	0.27			Number of detections monitored and AFCW group recommended to make an Amber product and reduce application rate
13/02/2017	Handois Raw Water	Prosulfocarb	0.44			Number of detections monitored and AFCW group recommended to make an Amber product and reduce application rate
13/02/2017	VDLM Pump/Top Strainer	Prosulfocarb	1.01			Number of detections monitored and AFCW group recommended to make an Amber product and reduce application rate
08/02/2017	HANDOIS EAST PT A	Azoxystrobin	0.16			Number of detection monitored and Action for Clean Water Group agreed to make it an amber pesticide- not to be used in Val de al Mare, Queens Valley and Handois catchments
01/02/2017	QUEENS VALLEY STREAM	Azoxystrobin	0.78			Number of detection monitored and Action for Clean Water Group agreed to make it an amber pesticide- not to be used in Val de al Mare, Queens Valley and Handois catchments
30/01/2017	TESSON	Pendimethalin	0.14	0.58		Number of detection monitored and Action for Clean Water Group agreed to make it a green pesticide- can be used in all catchments and pesticide of choice for red catchments (Val de la mare, Queens Valley and Handois)
30/01/2017	TESSON	Azoxystrobin	0.28			Number of detection monitored and Action for Clean Water Group agreed to make it an amber pesticide- not to be used in Val de al Mare, Queens Valley and Handois catchments
23/01/2017	Queens Valley Pump/Top Strainer	Glyphosate	0.21	398.00		Sampling commenced in Jan 2019- to be discussed at May AFCW Group
18/01/2017	PONT MARQUET	Carbendazim	0.11			
16/01/2017	Queens Valley Stream	Metribuzin	0.21			Action for Cleaner Water Group- Red list pesticide- can only be used outside of Jersey Water catchments
01/11/2016	HANDOIS WEST STREAM	Boscalid	0.18			
01/11/2016	HANDOIS WEST STREAM	Metazachlor	0.38			
13/09/2016	LITTLE TESSON	Azoxystrobin	0.13			Number of detection monitored and Action for Clean Water Group agreed to make it an amber pesticide- not to be used in Val de al Mare, Queens Valley and Handois catchments
21/06/2016	FERNLANDS STREAM	Tebuconazole	0.19			
06/06/2016	VDLM PUMP/TOP STRAINER	Linuron	0.11	0.90		Number of detections monitored and recommended to ban product in Feb 2017
01/06/2016	VDLM PUMP/TOP STRAINER	Linuron	0.12	0.90		Number of detections monitored and recommended to ban product in Feb 2017
25/05/2016	VDLM PUMP / TOP STRAINER	Linuron	0.15	0.90		Number of detections monitored and recommended to ban product in Feb 2017
23/05/2016	QUEENS VALLEY STREAM	Metribuzin	0.13			
23/05/2016	QUEENS VALLEY PUMP/TOP STRAINER	Linuron	0.10	0.90		Number of detections monitored and recommended to ban product in Feb 2017
19/05/2016	VDLM PUMP/TOP STRAINER	Ethoprophos	0.10			

19/05/2016	VDLM PUMP/TOP STRAINER	Linuron	0.18	0.90		Number of detections monitored and recommended to ban product in Feb 2017
17/05/2016	QUEENS VALLEY PUMP/TOP STRAINER	Linuron	0.11	0.90		Number of detections monitored and recommended to ban product in Feb 2017
16/05/2016	QUEENS VALLEY MID DAM	Linuron	0.11	0.90		Number of detections monitored and recommended to ban product in Feb 2017
14/05/2016	VDLM Pump /Top Strainer	Ethoprophos	0.11			
13/05/2016	VDLM Pump /Top Strainer	Linuron	0.21	0.90		Number of detections monitored and recommended to ban product in Feb 2017
12/05/2016	VDLM Pump /Top Strainer	Diuron	0.11	1.80		
12/05/2016	Queens Valley Stream	Ethoprophos	0.10			
12/05/2016	Queens Valley Stream	Metribuzin	0.17			
12/05/2016	Queens Valley Stream	Azoxystrobin	0.10			Number of detection monitored and Action for Clean Water Group agreed to make it an amber pesticide- not to be used in Val de al Mare, Queens Valley and Handois catchments
12/05/2016	Queens Valley Mid Dam	Linuron	0.13	0.90		Number of detections monitored and recommended to ban product in Feb 2017
12/05/2016	Queens Valley Pump/Top Strainer	Linuron	0.11	0.90		Number of detections monitored and recommended to ban product in Feb 2017
12/05/2016	Queens Valley Stream	Linuron	0.15	0.90		Number of detections monitored and recommended to ban product in Feb 2017
04/05/2016	QUEENS VALLEY MID DAM	Metribuzin	0.11			
04/05/2016	QUEENS VALLEY STREAM	Metribuzin	0.15			
04/05/2016	QUEENS VALLEY MID DAM	Linuron		0.90		Number of detections monitored and recommended to ban product in Feb 2017
04/05/2016	QUEENS VALLEY STREAM	Linuron	0.14	0.90		Number of detections monitored and recommended to ban product in Feb 2017
03/05/2016	VDLM PUMP/TOP STRAINER	Ethoprophos	0.13			
03/05/2016	VDLM PUMP/TOP STRAINER	Linuron	0.20	0.90		Number of detections monitored and recommended to ban product in Feb 2017
25/04/2016	VDLM PUMP/ TOP STRAINER	DIURON	0.14	1.80		
25/04/2016	VDLM PUMP/ TOP STRAINER	Ethoprophos	0.19			
25/04/2016	QUEENS VALLEY MID DAM	Azoxystrobin	0.13			Number of detection monitored and Action for Clean Water Group agreed to make it an amber pesticide- not to be used in Val de al Mare, Queens Valley and Handois catchments
25/04/2016	MONT GAVEY TANK OUT	Linuron	0.10	0.90		Number of detections monitored and recommended to ban product in Feb 2017

25/04/2016	QUEENS VALLEY MID DAM	Linuron	0.15	0.90		Number of detections monitored and recommended to ban product in Feb 2017
25/04/2016	QUEENS VALLEY PUMP/ TOP STRAINER	Linuron	0.12	0.90		Number of detections monitored and recommended to ban product in Feb 2017
25/04/2016	QUEENS VALLEY STREAM	Linuron	0.12	0.90		Number of detections monitored and recommended to ban product in Feb 2017
25/04/2016	VDLM PUMP/ TOP STRAINER	Linuron	0.22	0.90		Number of detections monitored and recommended to ban product in Feb 2017
20/04/2016	HANDOIS EAST PT A	Azoxystrobin	0.11			Number of detection monitored and Action for Clean Water Group agreed to make it an amber pesticide- not to be used in Val de al Mare, Queens Valley and Handois catchments
18/04/2016	VDLM PUMP/TOP STRAINER	DIURON	0.13	1.80		
18/04/2016	VDLM PUMP/TOP STRAINER	Ethoprophos	0.17			
18/04/2016	QUEENS VALLEY MID DAM	Metribuzin	0.13			
18/04/2016	QUEENS VALLEY STREAM	Metribuzin	0.22			
18/04/2016	QUEENS VALLEY MID DAM	Azoxystrobin	0.18			Number of detection monitored and Action for Clean Water Group agreed to make it an amber pesticide- not to be used in Val de al Mare, Queens Valley and Handois catchments
18/04/2016	QUEENS VALLEY STREAM	Azoxystrobin	0.19			Number of detection monitored and Action for Clean Water Group agreed to make it an amber pesticide- not to be used in Val de al Mare, Queens Valley and Handois catchments
18/04/2016	GRANDS VAUX PUMP/TOP STRAINER	Linuron	0.12	0.90		Number of detections monitored and recommended to ban product in Feb 2017
18/04/2016	MONT GAVEY TANK OUT	Linuron	0.11	0.90		Number of detections monitored and recommended to ban product in Feb 2017
18/04/2016	QUEENS VALLEY MID DAM	Linuron	0.16	0.90		Number of detections monitored and recommended to ban product in Feb 2017
18/04/2016	QUEENS VALLEY STREAM	Linuron	0.31	0.90		Number of detections monitored and recommended to ban product in Feb 2017
18/04/2016	VDLM PUMP/TOP STRAINER	Linuron	0.22	0.90		Number of detections monitored and recommended to ban product in Feb 2017
13/04/2016	VDLM PUMP/TOP STRAINER	DIURON	0.13	1.80		
13/04/2016	VDLM PUMP/TOP STRAINER	Ethoprophos	0.17			
13/04/2016	VDLM PUMP/TOP STRAINER	Linuron	0.28	0.90		Number of detections monitored and recommended to ban product in Feb 2017
12/04/2016	PONT MARQUET	Carbendazim	0.17			
12/04/2016	La Hague Dip	Diuron	0.10	1.80		
11/04/2016	Queens Valley Stream	Azoxystrobin				Number of detection monitored and Action for Clean Water Group agreed to make it an amber pesticide- not to be used in Val de al Mare, Queens Valley and Handois catchments

11/04/2016	Queens Valley Mid Dam	Linuron	0.12	0.90		Number of detections monitored and recommended to ban product in Feb 2017
11/04/2016	Queens Valley Pump/Top Strainer	Linuron	0.13	0.90		Number of detections monitored and recommended to ban product in Feb 2017
10/04/2016	VDLM PUMP / TOP STRAINER	Metribuzin	0.11			
09/04/2016	VDLM PUMP / TOP STRAINER	Ethoprophos	0.18			
08/04/2016	VDLM PUMP / TOP STRAINER	Linuron	0.29	0.90		Number of detections monitored and recommended to ban product in Feb 2017
07/04/2016	VDLM PUMP / TOP STRAINER	DIURON	0.14	1.80		
04/04/2016	LA HAGUE DIP	DIURON	0.13	1.80		
04/04/2016	QUEENS VALLEY PUMP/TOP STRAINER	Ethoprophos	0.15			
04/04/2016	VALLEE DES VAUX STREAM	Ethoprophos	0.14			
04/04/2016	MONT GAVEY TANK OUT	Linuron	0.12	0.90		Number of detections monitored and recommended to ban product in Feb 2017
04/04/2016	QUEENS VALLEY MID DAM	Linuron	0.21	0.90		Number of detections monitored and recommended to ban product in Feb 2017
04/04/2016	QUEENS VALLEY PUMP/TOP STRAINER	Linuron	0.14	0.90		Number of detections monitored and recommended to ban product in Feb 2017
31/03/2016	VDLM WEST PT A	Linuron	0.12	0.90		Number of detections monitored and recommended to ban product in Feb 2017
30/03/2016	LA HAGUE	DIURON	5.91	1.80		
30/03/2016	LA HAGUE DIP	DIURON	10.82	1.80		
30/03/2016	TESSON	DIURON	2.90	1.80		
30/03/2016	LA HAGUE	Linuron	0.12	0.90		Number of detections monitored and recommended to ban product in Feb 2017
30/03/2016	LA HAGUE DIP	Linuron	0.22	0.90		Number of detections monitored and recommended to ban product in Feb 2017
30/03/2016	VDLM TOP STRAINER	Linuron	0.35	0.90		Number of detections monitored and recommended to ban product in Feb 2017
29/03/2016	PONT MARQUET STREAM	Carbendazim	0.18			
29/03/2016	GREVE DE L'ECQ STREAM	Linuron	0.15	0.90		Number of detections monitored and recommended to ban product in Feb 2017
29/03/2016	HANDOIS EAST PT A	Linuron	0.16	0.90		Number of detections monitored and recommended to ban product in Feb 2017
29/03/2016	MONT GAVEY TANK OUT	Linuron	0.12	0.90		Number of detections monitored and recommended to ban product in Feb 2017

29/03/2016	QUEENS VALLEY MID DAM	Linuron	0.34	0.90		Number of detections monitored and recommended to ban product in Feb 2017
29/03/2016	QUEENS VALLEY STREAM	Linuron	0.13	0.90		Number of detections monitored and recommended to ban product in Feb 2017
29/03/2016	QV PUMP	Linuron	0.13	0.90		Number of detections monitored and recommended to ban product in Feb 2017
23/03/2016	QUEENS VALLEY PUMP	Linuron	0.13	0.90		Number of detections monitored and recommended to ban product in Feb 2017
21/03/2016	GREVE DE L'ECQ	Linuron	0.13	0.90		Number of detections monitored and recommended to ban product in Feb 2017
21/03/2016	QUEENS VALLEY PUMP	Linuron	0.12	0.90		Number of detections monitored and recommended to ban product in Feb 2017
15/03/2016	VDLM WEST PT B	Linuron	0.39	0.90		Number of detections monitored and recommended to ban product in Feb 2017
14/03/2016	VDLM TOP STRAINER	Ethoprophos	0.27			
14/03/2016	VDLM WEST PT A	Ethoprophos	0.27			
14/03/2016	VDLM TOP STRAINER	Metribuzin	0.21			
14/03/2016	VDLM WEST PT A	Metribuzin	0.26			
14/03/2016	Queens Valley Mid Dam (Intermediate)	Azoxystrobin	0.16			Number of detection monitored and Action for Clean Water Group agreed to make it an amber pesticide- not to be used in Val de al Mare, Queens Valley and Handois catchments
14/03/2016	Greve de L'Ecq	Linuron	0.23	0.90		Number of detections monitored and recommended to ban product in Feb 2017
14/03/2016	Millbrook Stream	Linuron	0.17	0.90		Number of detections monitored and recommended to ban product in Feb 2017
14/03/2016	Queens Valley Mid Dam (Intermediate)	Linuron	0.99	0.90		Number of detections monitored and recommended to ban product in Feb 2017
14/03/2016	Queens Valley Stream	Linuron	0.11	0.90		Number of detections monitored and recommended to ban product in Feb 2017
14/03/2016	VDLM TOP STRAINER	Linuron	0.43	0.90		Number of detections monitored and recommended to ban product in Feb 2017
14/03/2016	VDLM WEST PT A	Linuron	0.40	0.90		Number of detections monitored and recommended to ban product in Feb 2017
10/03/2016	VDLM East Stream ptA	Azoxystrobin	0.18			Number of detection monitored and Action for Clean Water Group agreed to make it an amber pesticide- not to be used in Val de al Mare, Queens Valley and Handois catchments
10/03/2016	VDLM West Stream ptB	Azoxystrobin	0.62			Number of detection monitored and Action for Clean Water Group agreed to make it an amber pesticide- not to be used in Val de al Mare, Queens Valley and Handois catchments
10/03/2016	VDLM West Stream ptC	Azoxystrobin	0.14			Number of detection monitored and Action for Clean Water Group agreed to make it an amber pesticide- not to be used in Val de al Mare, Queens Valley and Handois catchments
10/03/2016	VDLM West Stream, Avrils Lane	Azoxystrobin	0.12			Number of detection monitored and Action for Clean Water Group agreed to make it an amber pesticide- not to be used in Val de al Mare, Queens Valley and Handois catchments
10/03/2016	VDLM East Stream ptA	Linuron	0.57	0.90		Number of detections monitored and recommended to ban product in Feb 2017
10/03/2016	VDLM West Stream ptB	Linuron	4.10	0.90		Number of detections monitored and recommended to ban product in Feb 2017

10/03/2016	VDLM West Stream ptC	Linuron	0.62	0.90		Number of detections monitored and recommended to ban product in Feb 2017
10/03/2016	VDLM West Stream, Avrils Lane	Linuron	0.24	0.90		Number of detections monitored and recommended to ban product in Feb 2017
09/03/2016	Greve de L'Ecq	Tebuconazole	0.21			
09/03/2016	Bellozanne Stream	Azoxystrobin	0.13			Number of detection monitored and Action for Clean Water Group agreed to make it an amber pesticide- not to be used in Val de al Mare, Queens Valley and Handois catchments
09/03/2016	Dannemarche Stream	Azoxystrobin	0.16			Number of detection monitored and Action for Clean Water Group agreed to make it an amber pesticide- not to be used in Val de al Mare, Queens Valley and Handois catchments
09/03/2016	Greve de L'Ecq	Azoxystrobin	1.50			Number of detection monitored and Action for Clean Water Group agreed to make it an amber pesticide- not to be used in Val de al Mare, Queens Valley and Handois catchments
09/03/2016	Handois East Stream pt A	Azoxystrobin	0.23			Number of detection monitored and Action for Clean Water Group agreed to make it an amber pesticide- not to be used in Val de al Mare, Queens Valley and Handois catchments
09/03/2016	Handois West Stream	Azoxystrobin	0.16			Number of detection monitored and Action for Clean Water Group agreed to make it an amber pesticide- not to be used in Val de al Mare, Queens Valley and Handois catchments
09/03/2016	Le Mourier Combined Stream	Azoxystrobin	0.66			Number of detection monitored and Action for Clean Water Group agreed to make it an amber pesticide- not to be used in Val de al Mare, Queens Valley and Handois catchments
09/03/2016	Millbrook Stream	Azoxystrobin	0.16			Number of detection monitored and Action for Clean Water Group agreed to make it an amber pesticide- not to be used in Val de al Mare, Queens Valley and Handois catchments
09/03/2016	Tesson Stream	Azoxystrobin	0.16			Number of detection monitored and Action for Clean Water Group agreed to make it an amber pesticide- not to be used in Val de al Mare, Queens Valley and Handois catchments
09/03/2016	Bellozanne Side Stream	Linuron	0.15	0.90		Number of detections monitored and recommended to ban product in Feb 2017
09/03/2016	Dannemarche Stream	Linuron	0.52	0.90		Number of detections monitored and recommended to ban product in Feb 2017
09/03/2016	Greve de L'Ecq	Linuron	12.54	0.90		Number of detections monitored and recommended to ban product in Feb 2017
09/03/2016	Handois East Stream pt A	Linuron	0.49	0.90		Number of detections monitored and recommended to ban product in Feb 2017
09/03/2016	Le Mourier Combined Stream	Linuron	5.04	0.90		Number of detections monitored and recommended to ban product in Feb 2017
09/03/2016	Little Tesson Stream	Linuron	0.10	0.90		Number of detections monitored and recommended to ban product in Feb 2017
09/03/2016	Millbrook Stream	Linuron	0.40	0.90		Number of detections monitored and recommended to ban product in Feb 2017
09/03/2016	Pont Marquet Stream	Linuron	1.94	0.90		Number of detections monitored and recommended to ban product in Feb 2017
09/03/2016	Tesson Stream	Linuron	1.88	0.90		Number of detections monitored and recommended to ban product in Feb 2017
09/03/2016	Vallee des Vaux Stream	Linuron	0.24	0.90		Number of detections monitored and recommended to ban product in Feb 2017
07/03/2016	VDLM BOT STRAINER	Linuron	0.15	0.90		Number of detections monitored and recommended to ban product in Feb 2017
07/03/2016	VDLM MID STRAINER	Linuron	0.20	0.90		Number of detections monitored and recommended to ban product in Feb 2017
07/03/2016	VDLM TOP STRAINER	Linuron	0.22	0.90		Number of detections monitored and recommended to ban product in Feb 2017

02/03/2016	Queens Valley Stream	Azoxystrobin	0.14			Number of detection monitored and Action for Clean Water Group agreed to make it an amber pesticide- not to be used in Val de al Mare, Queens Valley and Handois catchments
02/03/2016	Greve de L'Ecq	Linuron	0.12	0.90		Number of detections monitored and recommended to ban product in Feb 2017
02/03/2016	Queens Valley Stream	Linuron	0.12	0.90		Number of detections monitored and recommended to ban product in Feb 2017
01/03/2016	Handois East ptA	Azoxystrobin	0.14			Number of detection monitored and Action for Clean Water Group agreed to make it an amber pesticide- not to be used in Val de al Mare, Queens Valley and Handois catchments
29/02/2016	VDLM Top Strainer	Linuron	0.24	0.90		Number of detections monitored and recommended to ban product in Feb 2017
25/02/2016	VDLM West Stream ptA	Linuron	0.22	0.90		Number of detections monitored and recommended to ban product in Feb 2017
25/02/2016	VDLM West Stream ptB	Linuron	0.28	0.90		Number of detections monitored and recommended to ban product in Feb 2017
24/02/2016	Handois East ptA	Azoxystrobin	0.25			Number of detection monitored and Action for Clean Water Group agreed to make it an amber pesticide- not to be used in Val de al Mare, Queens Valley and Handois catchments
23/02/2016	VDLM Top Strainer	Metribuzin	0.19			
23/02/2016	VDLM Top Strainer	Linuron	0.26	0.90		Number of detections monitored and recommended to ban product in Feb 2017
22/02/2016	Millbrook Stream	Azoxystrobin	0.20			Number of detection monitored and Action for Clean Water Group agreed to make it an amber pesticide- not to be used in Val de al Mare, Queens Valley and Handois catchments
17/02/2016	VDLM Top Strainer	Linuron	0.26	0.90		Number of detections monitored and recommended to ban product in Feb 2017
16/02/2016	Handois East Stream pt4	Azoxystrobin	0.17			Number of detection monitored and Action for Clean Water Group agreed to make it an amber pesticide- not to be used in Val de al Mare, Queens Valley and Handois catchments
16/02/2016	VDLM West Stream ptA	Linuron	0.15	0.90		Number of detections monitored and recommended to ban product in Feb 2017
10/02/2016	Handois East ptA	Azoxystrobin	4.45			Number of detection monitored and Action for Clean Water Group agreed to make it an amber pesticide- not to be used in Val de al Mare, Queens Valley and Handois catchments
10/02/2016	Handois East Stream pt2	Azoxystrobin	10.25			Number of detection monitored and Action for Clean Water Group agreed to make it an amber pesticide- not to be used in Val de al Mare, Queens Valley and Handois catchments
10/02/2016	Handois East Stream pt4	Azoxystrobin	14.97			Number of detection monitored and Action for Clean Water Group agreed to make it an amber pesticide- not to be used in Val de al Mare, Queens Valley and Handois catchments
10/02/2016	Handois East ptA	Linuron	0.13	0.90		Number of detections monitored and recommended to ban product in Feb 2017
10/02/2016	Handois East Stream pt2	Linuron	0.28	0.90		Number of detections monitored and recommended to ban product in Feb 2017
10/02/2016	Handois East Stream pt4	Linuron	0.32	0.90		Number of detections monitored and recommended to ban product in Feb 2017
09/02/2016	Mont Gavey Tank Out	Azoxystrobin	0.14			Number of detection monitored and Action for Clean Water Group agreed to make it an amber pesticide- not to be used in Val de al Mare, Queens Valley and Handois catchments
09/02/2016	Mont Gavey Tank Out	Linuron	0.15	0.90		Number of detections monitored and recommended to ban product in Feb 2017
03/02/2016	Handois East Stream ptA	Linuron	0.17	0.90		
03/02/2016	Dannemarche Stream	Azoxystrobin	0.92			Number of detection monitored and Action for Clean Water Group agreed to make it an amber pesticide- not to be used in Val de al Mare, Queens Valley and Handois catchments

03/02/2016	Val de la Mare Pump	Linuron	0.13	0.90		Number of detections monitored and recommended to ban product in Feb 2017
03/02/2016	Val de la Mare West Stream	Linuron	0.12	0.90		Number of detections monitored and recommended to ban product in Feb 2017
03/02/2016	Handois East Stream ptA	Azoxystrobin	3.12			POLREP2016014 - fully investigated
08/12/2015	Val de la Mare East Stream	2,4-D	0.17	1.30		
08/12/2015	Val de la Mare East Stream	Linuron	0.65	0.90		
08/12/2015	Val de la Mare East Stream	MCPA	0.15			
08/12/2015	Val de la Mare East Stream	Pirimicarb	0.54			
24/11/2015	Handois West Stream	Azoxystrobin	0.10			
06/10/2015	Grands Vaux Stream	Azoxystrobin	0.15			
06/10/2015	Grands Vaux Stream	Metazachlor	0.13			
22/09/2015	Queens Valley Stream	Boscalid	0.22			
22/09/2015	Queens Valley Stream	MCPA	0.17			
22/09/2015	Queens Valley Stream	Mecoprop	0.20	187.00		
25/08/2015	Pont Marquet Stream	Simazine	0.12	4.00		
18/08/2015	Bellozanne Stream	Azoxystrobin	0.16			
18/08/2015	Bellozanne Stream	Linuron	0.27	0.90		
04/08/2015	Pont Marquet Stream	Simazine	0.23	4.00		
16/12/2014	Fernlands Stream	Propiconazole	0.11			
07/10/2014	Queens Valley Stream	Pirimicarb	0.19			
13/05/2014	Val De La Mare Mid Strainer	Linuron	0.10	0.90		
06/05/2014	Queens Valley Stream	Azoxystrobin	0.10			
06/05/2014	Val de la Mare Mid Strainer	Linuron	0.14	0.90		
22/04/2014	Queens Valley Stream	Azoxystrobin	0.32			
22/04/2014	Queens Valley Stream	MCPA	0.11			

25/03/2014	Tesson Stream	Triclopyr	0.14			
11/03/2014	Mont Gavey Tank	Linuron	0.14	0.90		
04/03/2014	Val de la Mare West Stream	Linuron	0.22	0.90		
25/02/2014	Queens Valley Stream	Bentazone	0.27			
25/02/2014	Mont Gavey Tank Out	Linuron	0.16	0.90		
21/01/2014	Val de la Mare East Stream	Bentazone	0.13			
14/01/2014	Grands Vaux Stream	Metazachlor	0.13			
14/01/2014	Grands Vaux Stream	Boscalid	0.18			
17/12/2013	Queens Valley Stream	Bentazone	0.17			
10/12/2013	Dannemarche Stream	Azoxystrobin	0.50			
26/11/2013	Val de la Mare East Stream	Bentazone	0.28			
05/11/2013	Ferlands Stream	Propiconazole	0.15			
05/11/2013	Ferlands Stream	Tebuconazole	0.14			
29/10/2013	Bellozanne Side Stream	2,4-D	0.23	1.30		
30/07/2013	La Hague Stream	MCPA	0.37			
30/07/2013	Little Tesson Stream	MCPA	0.63			
30/07/2013	Little Tesson Stream	Mecoprop	0.64	187.00		
11/06/2013	Bellozanne Side Stream	2,4-D	0.73	1.30		
11/06/2013	Bellozanne Stream	2,4-D	0.17	1.30		
11/06/2013	Bellozanne Side Stream	2,4-DB	0.42	1.30		
11/06/2013	Bellozanne Stream	2,4-DB	0.19	1.30		
11/06/2013	Val de la Mare East Stream	Azoxystrobin	0.64			
11/06/2013	Bellozanne Side Stream	Linuron	1.18	0.90		
11/06/2013	Bellozanne Stream	Linuron	0.32	0.90		
11/06/2013	Bellozanne Side Stream	MCPA	0.20			

11/06/2013	Bellozanne Stream	MCPA	0.10			
11/06/2013	Bellozanne Side Stream	Mecoprop	0.24	187.00		
11/06/2013	Bellozanne Stream	Mecoprop	0.13	187.00		
29/05/2013	Bellozanne Stream	Mecoprop	0.20	187.00		
28/05/2013	Bellozanne Side Stream	2,4-DB	0.11	1.30		
28/05/2013	Bellozanne Side Stream	MCPA	0.37			
28/05/2013	Bellozanne Stream	MCPA	0.19			
28/05/2013	Bellozanne Side Stream	Mecoprop	0.37	187.00		
21/05/2013	Vallee Des Vaux Stream	Dicamba	0.13			
14/05/2013	Bellozanne Side Stream	2,4-D	0.12	1.30		
14/05/2013	Bellozanne Side Stream	Dicamba	4.62			
14/05/2013	Bellozanne Stream	Linuron	0.16	0.90		
14/05/2013	Bellozanne Side Stream	MCPA	34.70			
14/05/2013	Bellozanne Side Stream	Mecoprop	31.60	187.00		
14/05/2013	Bellozanne Stream	MCPA	30.10			POLREP2013055 - fully investigated
14/05/2013	Bellozanne Stream	Mecoprop	28.20	187.00		POLREP2013055 - fully investigated
14/05/2013	Bellozanne Stream	Dicamba	4.19			POLREP2013055 - fully investigated
16/04/2013	Handois Reservoir Outlet	Linuron	0.13	0.90		
09/04/2013	La Hague Stream	Metazachlor	0.63			
26/03/2013	Handois Reservoir Outlet	Linuron	0.18	0.90		
19/03/2013	Val de la Mare West Stream	Linuron	0.13	0.90		
14/02/2013	Queens Valley Stream	Cyanazine	0.17			
05/02/2013	Queens Valley Stream	Cyanazine	0.12			
30/01/2013	Queens Valley Stream	Cyanazine	0.26			
29/01/2013	Grands Vaux Stream	Azoxystrobin	0.16			

22/01/2013	Greve De Lecq Stream	24 D	0.23			
22/01/2013	Greve De Lecq Stream	Linuron	1.46	0.90		
15/01/2013	Queens Valley Stream	Cyanazine	0.44			
18/09/2012	Fernlands Stream	Triclopyr	0.17			
31/07/2012	Little Tesson Stream	Diuron	0.12	1.80		
10/07/2012	Bellozanne Stream	Linuron	0.28	0.90		
03/07/2012	Fernlands Stream	2,4-D	0.17	1.30		
03/07/2012	Grands Vaux Stream	Triclopyr	0.15			
03/07/2012	Fernlands Stream	Propiconazole	67.90		*	POLREP2012079 - Fully investigated
03/07/2012	Fernlands Stream	Tebuconazole	60.30		*	POLREP2012079 - Fully investigated
19/06/2012	Bellozanne Stream	MCPA	0.12			
19/06/2012	Bellozanne Stream	Mecoprop	0.15	187.00		
19/06/2012	Bellozanne Stream	Terbuthylazine	0.14			
06/06/2012	Fernlands Stream	Propiconazole	0.30			
06/06/2012	Fernlands Stream	Tebuconazole	0.27			
06/06/2012	Fernlands Stream	Triclopyr	0.11			
29/05/2012	Bellozanne Stream	2,4-D	0.40	1.30		
29/05/2012	Bellozanne Stream	2,4-DB	0.34	1.30		
29/05/2012	Bellozanne Stream	Dicamba	0.56			
29/05/2012	Bellozanne Stream	Linuron	0.22	0.90		
29/05/2012	Bellozanne Stream	MCPA	4.75			
29/05/2012	Bellozanne Stream	Mecoprop	5.15	187.00		
29/05/2012	Bellozanne Stream	Triclopyr	1.33			
22/05/2012	Queens Valley Stream	MCPA	0.12			
22/05/2012	Queens Valley Stream	Mecoprop	0.17	187.00		
08/05/2012	Fernlands Stream	Propiconazole	0.92			
08/05/2012	Fernlands Stream	Tebuconazole	1.09			

01/05/2012	Handois East Stream	2,4-D	0.19	1.30		
01/05/2012	Handois East Stream	Dicamba	0.52			
01/05/2012	Handois East Stream	Triclopyr	0.14			
17/04/2012	Bellozanne Stream	MCPA	0.12			
17/04/2012	Bellozanne Stream	Mecoprop	0.14	187.00		
17/04/2012	Bellozanne Stream	2,4-DB	0.89	1.30		POLREP2012047 - Fully investigated
11/04/2012	Little Tesson Stream	Linuron	0.32	0.90		
28/02/2012	Le Mourier West Stream	Pirimicarb	0.65			
07/02/2012	Greve de L'Ecq Stream	Linuron	0.16	0.90		
06/09/2011	Bellozanne Stream	Mecoprop	0.11	187.00		
23/08/2011	Val de la Mare East Stream	Dicamba	0.12			
23/08/2011	Val de la Mare East Stream	MCPA	0.47			
23/08/2011	Val de la Mare East Stream	Mecoprop	0.40	187.00		
09/08/2011	Greve de L'Ecq Stream	2,4-D	0.49	1.30		
09/08/2011	Handois Reservoir Outlet	2,4-D	0.12	1.30		
12/07/2011	Handois Reservoir Outlet	2,4-D	0.19	1.30		
12/07/2011	Val de la Mare East Stream	2,4-D	0.75	1.30		
12/07/2011	Val de la Mare East Stream	Linuron	0.24	0.90		
05/07/2011	Augres Untreated Water	Triclopyr	0.35			
14/06/2011	Bellozanne Stream	Triclopyr	0.19			
08/03/2011	Val de la Mare West Stream	Linuron	0.32	0.90		
01/02/2011	Augres Untreated Water	2,4-D	0.17	1.30		POLREP2011011 - Fully investigated
18/01/2011	Augres Untreated Water	2,4-D	0.18	1.30		POLREP2011011 - Fully investigated
05/01/2011	Augres Untreated Water	2,4-D	0.14	1.30		POLREP2011011 - Fully investigated

07/12/2010	Queens Valley Stream	2,4-D	0.23	1.30		
26/10/2010	Little Tesson Stream	Triclopyr	0.13			
05/10/2010	Greve de L'Ecq Stream	Dicamba	0.11			
05/10/2010	Greve de L'Ecq Stream	MCPA	0.42			
05/10/2010	Greve de L'Ecq Stream	Mecoprop	0.42	187.00		
05/10/2010	Handois East Stream	Pirimicarb	0.14			
28/09/2010	Vallee Des Vaux	Dicamba	0.13			
07/09/2010	Handois Reservoir Outlet	2,4-D	0.16	1.30		
07/09/2010	Pont Marquet Stream	Triclopyr	0.21			
24/08/2010	Handois Reservoir Outlet	2,4-D	0.15	1.30		
24/08/2010	Handois West Stream	Chlorpropham	0.18			
24/08/2010	Handois West Stream	Linuron	0.16	0.90		
24/08/2010	Greve de L'Ecq Stream	Simazine	0.31	4.00		
27/07/2010	Handois Reservoir Outlet	2,4-D	0.11	1.30		
13/07/2010	Handois West Stream	Linuron	0.11	0.90		
29/06/2010	Bellozanne Stream	2,4-D	0.13	1.30		
08/06/2010	Ferlands Stream	Propiconazole	0.27			
08/06/2010	Ferlands Stream	Tebuconazole	0.30			
02/06/2010	Handois West Stream	Dicamba	0.13			
02/06/2010	Handois West Stream	MCPA	0.22			
02/06/2010	Handois West Stream	Mecoprop	0.25	187.00		
02/03/2010	Queens Valley Stream	Linuron	0.11	0.90		
02/02/2010	Le Mourier West Stream	Linuron	0.13	0.90		
15/12/2009	Pont Marquet Stream	Bentazone	0.14			

15/12/2009	Val de la Mare East Stream	Chlorpropham	0.12			
03/11/2009	Pont Marquet Stream	Chlorpropham	0.15			
03/11/2009	Pont Marquet Stream	Diuron	0.33	1.80		
03/11/2009	Val de la Mare East Stream	Linuron	0.11	0.90		
03/11/2009	Val de la Mare West Stream	Propiconazole	0.41			
14/07/2009	Bellozanne Stream	2,4-D	0.26	1.30		
30/06/2009	Pont Marquet Stream	Mecoprop	0.17	187.00		
27/05/2009	La Hague Stream	Diuron	0.25	1.80		
27/05/2009	La Hague Stream	MCPA	0.12			
27/05/2009	Little Tesson Stream	MCPA	0.12			
27/05/2009	Tesson Stream	MCPA	0.20			
27/05/2009	La Hague Stream	Mecoprop	0.11	187.00		
27/05/2009	Little Tesson Stream	Mecoprop	0.12	187.00		
27/05/2009	Tesson Stream	Mecoprop	0.18	187.00		
28/04/2009	Ferlands Stream	Propiconazole	0.13			
21/04/2009	Bellozanne Stream	2,4-D	1.76	1.30		
21/04/2009	Bellozanne Stream	Linuron	0.26	0.90		
21/04/2009	Bellozanne Stream	MCPA	0.34			
15/04/2009	Le Mourier West Stream	Dicamba	0.27			
15/04/2009	Le Mourier West	Diuron	0.44	1.80		
15/04/2009	Le Mourier West Stream	MCPA	0.87			
15/04/2009	Le Mourier West Stream	Mecoprop	0.87	187.00		
07/04/2009	Val de la Mare West Stream	Linuron	0.11	0.90		
24/03/2009	Handois East Stream	Mecoprop	0.11	187.00		
03/03/2009	Ferlands Stream	Propiconazole	0.15			
03/03/2009	Ferlands Stream	Tebuconazole	0.20			

27/01/2009	Dannemarche Stream	MCPA	0.11			
27/01/2009	Dannemarche Stream	Mecoprop	0.13	187.00		
20/01/2009	Queens Valley Stream	Cyanazine	0.15			
* unaccredited: Not a 100% verified result as the lab had to dilute the sample to run the test						

Environmental Protection Data 2015-2019

Date	Sampling point	Name of substance	Detected level (ug/l)	Maximum Allowable Concentration (MAC) - Environmental Quality Standard (EQS) surface water (ug/l)	Investigation notes
04/03/2019	Grouville SSI	962 / Glyphosate	0.162	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
04/03/2019	St Peter's (P13)	962 / Glyphosate	0.141	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
04/03/2019	St Brelade (B7)	962 / Glyphosate	0.273	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
04/03/2019	Val de la Mare East (VDLMEA2)	962 / Glyphosate	0.109	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
04/03/2019	Greve de Lecq (2203)	962 / Glyphosate	0.223	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
04/03/2019	Millbrook SSI	90 / Triclopyr	0.147		
04/03/2019	Greve de Lecq (2203)	813 / AMPA :- { Aminomethylphosphonic acid}	0.219		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
04/03/2019	Millbrook SSI	807 / 4-Chloro-3,5-dimethylphenol :- {PCMX}	0.140	46.000	Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
04/03/2019	Grouville SSI	787 / Azoxystrobin	0.250		
04/03/2019	Greve de Lecq (2203)	787 / Azoxystrobin	0.254		
04/03/2019	Greve de Lecq (2203)	398 / Pendimethalin	>0.1	0.580	
17/09/2018	St Peter's (P13)	962 / Glyphosate	0.127	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
17/09/2018	Millbrook SSI	813 / AMPA :- { Aminomethylphosphonic acid}	0.127		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
17/09/2018	St Peter's (P13)	813 / AMPA :- { Aminomethylphosphonic acid}	0.237		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
17/09/2018	St Brelade (B7)	813 / AMPA :- { Aminomethylphosphonic acid}	0.128		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting

17/09/2018	Val de la Mare East (VDLMEA2)	813 / AMPA :- { Aminomethylphosphonic acid}	0.152		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
27/02/2018	Greve de Lecq (2203)	814 / Asulam	0.142		The Agricultural Inspectorate investigated the Asulam detections and contacted purchases of the product Asulox from the Merchants for the Greve de Lecq catchment. The sprayer was not identified.
11/12/2017	St Brelade (B7)	962 / Glyphosate	0.583	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
11/12/2017	Val de la Mare East (VDLMEA2)	962 / Glyphosate	0.654	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
11/12/2017	Greve de Lecq (2203)	962 / Glyphosate	0.134	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
11/12/2017	Vallee des Vaux (2505)	914 / Phenoxyacetic acid :- {PAA}	0.109		
11/12/2017	St Peter's (P13)	813 / AMPA :- { Aminomethylphosphonic acid}	0.211		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
11/12/2017	St Brelade (B7)	813 / AMPA :- { Aminomethylphosphonic acid}	0.217		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
11/12/2017	Val de la Mare East (VDLMEA2)	813 / AMPA :- { Aminomethylphosphonic acid}	0.406		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
11/12/2017	Greve de Lecq (2203)	813 / AMPA :- { Aminomethylphosphonic acid}	0.242		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
11/09/2017	Vallee des Vaux (2505)	962 / Glyphosate	0.166	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
11/09/2017	Millbrook SSI	962 / Glyphosate	0.125	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
11/09/2017	St Peter's (P13)	962 / Glyphosate	0.608	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
11/09/2017	St Brelade (B7)	962 / Glyphosate	0.290	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
11/09/2017	Val de la Mare East (VDLMEA2)	962 / Glyphosate	1.260	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
11/09/2017	Greve de Lecq (2203)	962 / Glyphosate	0.569	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
11/09/2017	Vallee des Vaux (2505)	914 / Phenoxyacetic acid :- {PAA}	0.101		
11/09/2017	Val de la Mare East (VDLMEA2)	914 / Phenoxyacetic acid :- {PAA}	0.123		
11/09/2017	Vallee des Vaux (2505)	90 / Triclopyr	0.121		

11/09/2017	Vallee des Vaux (2505)	813 / AMPA :- { Aminomethylphosphonic acid}	0.220		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
11/09/2017	Millbrook SSI	813 / AMPA :- { Aminomethylphosphonic acid}	0.300		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
11/09/2017	St Peter's (P13)	813 / AMPA :- { Aminomethylphosphonic acid}	0.342		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
11/09/2017	Val de la Mare East (VDLMEA2)	813 / AMPA :- { Aminomethylphosphonic acid}	0.884		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
11/09/2017	Greve de Lecq (2203)	813 / AMPA :- { Aminomethylphosphonic acid}	0.530		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
11/09/2017	Vallee des Vaux (2505)	427 / Metazachlor	0.556		
13/06/2017	Greve de Lecq (2203)	962 / Glyphosate	0.140	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
13/06/2017	St Peter's (P13)	914 / Phenoxyacetic acid :- {PAA}	0.476		
13/06/2017	Greve de Lecq (2203)	787 / Azoxystrobin	0.105		
06/03/2017	St Peter's (P13)	962 / Glyphosate	0.266	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
06/03/2017	St Brelade (B7)	962 / Glyphosate	0.164	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
06/03/2017	Val de la Mare East (VDLMEA2)	962 / Glyphosate	0.164	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
06/03/2017	Greve de Lecq (2203)	962 / Glyphosate	0.747	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
06/03/2017	St Peter's (P13)	90 / Triclopyr	0.101		
06/03/2017	Vallee des Vaux (2505)	813 / AMPA :- { Aminomethylphosphonic acid}	0.121		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
06/03/2017	Millbrook SSI	813 / AMPA :- { Aminomethylphosphonic acid}	0.129		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
06/03/2017	St Peter's (P13)	813 / AMPA :- { Aminomethylphosphonic acid}	0.226		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
06/03/2017	St Brelade (B7)	813 / AMPA :- { Aminomethylphosphonic acid}	0.130		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting

06/03/2017	Val de la Mare East (VDLMEA2)	813 / AMPA :- { Aminomethylphosphonic acid}	0.313		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
06/03/2017	Greve de Lecq (2203)	813 / AMPA :- { Aminomethylphosphonic acid}	0.215		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
06/03/2017	Greve de Lecq (2203)	787 / Azoxystrobin	0.385		
06/03/2017	Vallee des Vaux (2505)	69 / Linuron	0.592	0.900	
06/03/2017	Vallee des Vaux (2505)	55 / 2,4-DB :- {4-(2,4-dichlorophenoxy)butyric acid}	0.174	1.300	
05/12/2016	Greve de Lecq (2203)	814 / Asulam	0.109		The Agricultural Inspectorate investigated the Asulam detections and contacted purchases of the product Asulox from the Merchants for the Greve de Lecq catchment. The sprayer was not identified.
05/12/2016	Vallee des Vaux (2505)	807 / 4-Chloro-3,5-dimethylphenol :- {PCMX}	0.941	46.000	Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
19/09/2016	St Peter's (P13)	962 / Glyphosate	0.312	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
19/09/2016	Greve de Lecq (2203)	962 / Glyphosate	0.173	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
19/09/2016	St Brelade (B7)	90 / Triclopyr	0.102		
19/09/2016	Val de la Mare East (VDLMEA2)	816 / Atrazine-desisopropyl	0.105	2.000	
19/09/2016	Greve de Lecq (2203)	814 / Asulam	0.104		The Agricultural Inspectorate investigated the Asulam detections and contacted purchases of the product Asulox from the Merchants for the Greve de Lecq catchment. The sprayer was not identified.
19/09/2016	Vallee des Vaux (2505)	813 / AMPA :- { Aminomethylphosphonic acid}	0.103		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
19/09/2016	Millbrook SSI	813 / AMPA :- { Aminomethylphosphonic acid}	0.188		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
19/09/2016	St Peter's (P13)	813 / AMPA :- { Aminomethylphosphonic acid}	0.281		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
19/09/2016	St Brelade (B7)	813 / AMPA :- { Aminomethylphosphonic acid}	0.135		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting

19/09/2016	Val de la Mare East (VDLMEA2)	813 / AMPA :- { Aminomethylphosphonic acid}	0.202		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
20/07/2016	Greve de Lecq (2203)	814 / Asulam	0.121		The Agricultural Inspectorate investigated the Asulam detections and contacted purchases of the product Asulox from the Merchants for the Greve de Lecq catchment. The sprayer was not identified.
08/03/2016	St Brelade (B7)	914 / Phenoxyacetic acid :- {PAA}	0.381		
08/03/2016	Val de la Mare East (VDLMEA2)	816 / Atrazine-desisopropyl	0.123	2.000	
07/12/2015	St Brelade (B7)	914 / Phenoxyacetic acid :- {PAA}	0.101		
03/09/2015	Grouville SSI	962 / Glyphosate	0.102	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
03/09/2015	Rozel (R2)	962 / Glyphosate	0.101	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
03/09/2015	Vallee des Vaux (2505)	962 / Glyphosate	0.104	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
03/09/2015	St Peter's (P13)	962 / Glyphosate	0.119	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
03/09/2015	St Brelade (B7)	962 / Glyphosate	0.116	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
03/09/2015	Greve de Lecq (2203)	962 / Glyphosate	0.102	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
03/09/2015	Grouville SSI	959 / 2,4-Dimethylphenol :- {2,4-Xylenol}	0.109	46.000	
03/09/2015	Grouville SSI	813 / AMPA :- { Aminomethylphosphonic acid}	0.107		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
03/09/2015	Rozel (R2)	813 / AMPA :- { Aminomethylphosphonic acid}	0.128		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
03/09/2015	Vallee des Vaux (2505)	813 / AMPA :- { Aminomethylphosphonic acid}	0.126		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
03/09/2015	St Peter's (P13)	813 / AMPA :- { Aminomethylphosphonic acid}	0.148		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
03/09/2015	St Brelade (B7)	813 / AMPA :- { Aminomethylphosphonic acid}	0.171		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
03/09/2015	Greve de Lecq (2203)	813 / AMPA :- { Aminomethylphosphonic acid}	0.133		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
03/09/2015	Greve de Lecq (2203)	398 / Pendimethalin	0.116	0.580	

25/06/2015	Rozel (R2)	962 / Glyphosate	0.155	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
25/06/2015	Grouville SSI	962 / Glyphosate	0.107	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
25/06/2015	St Peter's (P13)	962 / Glyphosate	0.193	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
25/06/2015	St Brelade (B7)	962 / Glyphosate	0.121	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
25/06/2015	Val de la Mare East (VDLMEA2)	962 / Glyphosate	0.108	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
25/06/2015	Greve de Lecq (2203)	962 / Glyphosate	0.106	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
25/06/2015	Val de la Mare East (VDLMEA2)	816 / Atrazine-desisopropyl	0.109	2.000	
25/06/2015	Rozel (R2)	813 / AMPA :- { Aminomethylphosphonic acid }	0.128		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
25/06/2015	Vallee des Vaux (2505)	813 / AMPA :- { Aminomethylphosphonic acid }	0.107		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
25/06/2015	St Peter's (P13)	813 / AMPA :- { Aminomethylphosphonic acid }	0.171		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
25/06/2015	St Brelade (B7)	813 / AMPA :- { Aminomethylphosphonic acid }	0.120		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting

Jersey Water historic oxadixyl 2015-2019

Date	Sampling point	Name of substance	Detected level (ug/l)	Maximum Allowable Concentration (MAC) - Environmental Quality Standard (EQS) surface water (ug/l)	Investigation notes
04/03/2019	Grouville SSI	962 / Glyphosate	0.162	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
04/03/2019	St Peter's (P13)	962 / Glyphosate	0.141	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
04/03/2019	St Brelade (B7)	962 / Glyphosate	0.273	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
04/03/2019	Val de la Mare East (VDLMEA2)	962 / Glyphosate	0.109	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
04/03/2019	Greve de Lecq (2203)	962 / Glyphosate	0.223	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
04/03/2019	Millbrook SSI	90 / Triclopyr	0.147		
04/03/2019	Greve de Lecq (2203)	813 / AMPA :- {Aminomethylphosphonic acid}	0.219		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
04/03/2019	Millbrook SSI	807 / 4-Chloro-3,5-dimethylphenol :- {PCMX}	0.140	46.000	Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
04/03/2019	Grouville SSI	787 / Azoxystrobin	0.250		
04/03/2019	Greve de Lecq (2203)	787 / Azoxystrobin	0.254		
04/03/2019	Greve de Lecq (2203)	398 / Pendimethalin	>0.1	0.580	
17/09/2018	St Peter's (P13)	962 / Glyphosate	0.127	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
17/09/2018	Millbrook SSI	813 / AMPA :- {Aminomethylphosphonic acid}	0.127		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
17/09/2018	St Peter's (P13)	813 / AMPA :- {Aminomethylphosphonic acid}	0.237		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting

17/09/2018	St Brelade (B7)	813 / AMPA :- {Aminomethylphosphonic acid}	0.128		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
17/09/2018	Val de la Mare East (VDLMEA2)	813 / AMPA :- {Aminomethylphosphonic acid}	0.152		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
27/02/2018	Greve de Lecq (2203)	814 / Asulam	0.142		The Agricultural Inspectorate investigated the Asulam detections and contacted purchases of the product Asulox from the Merchants for the Greve de Lecq catchment. The sprayer was not identified.
11/12/2017	St Brelade (B7)	962 / Glyphosate	0.583	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
11/12/2017	Val de la Mare East (VDLMEA2)	962 / Glyphosate	0.654	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
11/12/2017	Greve de Lecq (2203)	962 / Glyphosate	0.134	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
11/12/2017	Vallee des Vaux (2505)	914 / Phenoxyacetic acid :- {PAA}	0.109		
11/12/2017	St Peter's (P13)	813 / AMPA :- {Aminomethylphosphonic acid}	0.211		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
11/12/2017	St Brelade (B7)	813 / AMPA :- {Aminomethylphosphonic acid}	0.217		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
11/12/2017	Val de la Mare East (VDLMEA2)	813 / AMPA :- {Aminomethylphosphonic acid}	0.406		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
11/12/2017	Greve de Lecq (2203)	813 / AMPA :- {Aminomethylphosphonic acid}	0.242		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
11/09/2017	Vallee des Vaux (2505)	962 / Glyphosate	0.166	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
11/09/2017	Millbrook SSI	962 / Glyphosate	0.125	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
11/09/2017	St Peter's (P13)	962 / Glyphosate	0.608	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
11/09/2017	St Brelade (B7)	962 / Glyphosate	0.290	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
11/09/2017	Val de la Mare East (VDLMEA2)	962 / Glyphosate	1.260	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
11/09/2017	Greve de Lecq (2203)	962 / Glyphosate	0.569	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting

11/09/2017	Vallee des Vaux (2505)	914 / Phenoxyacetic acid :- {PAA}	0.101		
11/09/2017	Val de la Mare East (VDLMEA2)	914 / Phenoxyacetic acid :- {PAA}	0.123		
11/09/2017	Vallee des Vaux (2505)	90 / Triclopyr	0.121		
11/09/2017	Vallee des Vaux (2505)	813 / AMPA :- {Aminomethylphosphonic acid}	0.220		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
11/09/2017	Millbrook SSI	813 / AMPA :- {Aminomethylphosphonic acid}	0.300		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
11/09/2017	St Peter's (P13)	813 / AMPA :- {Aminomethylphosphonic acid}	0.342		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
11/09/2017	Val de la Mare East (VDLMEA2)	813 / AMPA :- {Aminomethylphosphonic acid}	0.884		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
11/09/2017	Greve de Lecq (2203)	813 / AMPA :- {Aminomethylphosphonic acid}	0.530		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
11/09/2017	Vallee des Vaux (2505)	427 / Metazachlor	0.556		
13/06/2017	Greve de Lecq (2203)	962 / Glyphosate	0.140	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
13/06/2017	St Peter's (P13)	914 / Phenoxyacetic acid :- {PAA}	0.476		
13/06/2017	Greve de Lecq (2203)	787 / Azoxystrobin	0.105		
06/03/2017	St Peter's (P13)	962 / Glyphosate	0.266	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
06/03/2017	St Brelade (B7)	962 / Glyphosate	0.164	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
06/03/2017	Val de la Mare East (VDLMEA2)	962 / Glyphosate	0.164	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
06/03/2017	Greve de Lecq (2203)	962 / Glyphosate	0.747	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
06/03/2017	St Peter's (P13)	90 / Triclopyr	0.101		
06/03/2017	Vallee des Vaux (2505)	813 / AMPA :- {Aminomethylphosphonic acid}	0.121		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting

06/03/2017	Millbrook SSI	813 / AMPA :- {Aminomethylphosphonic acid}	0.129		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
06/03/2017	St Peter's (P13)	813 / AMPA :- {Aminomethylphosphonic acid}	0.226		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
06/03/2017	St Brelade (B7)	813 / AMPA :- {Aminomethylphosphonic acid}	0.130		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
06/03/2017	Val de la Mare East (VDLMEA2)	813 / AMPA :- {Aminomethylphosphonic acid}	0.313		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
06/03/2017	Greve de Lecq (2203)	813 / AMPA :- {Aminomethylphosphonic acid}	0.215		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
06/03/2017	Greve de Lecq (2203)	787 / Azoxystrobin	0.385		
06/03/2017	Vallee des Vaux (2505)	69 / Linuron	0.592	0.900	
06/03/2017	Vallee des Vaux (2505)	55 / 2,4-DB :- {4-(2,4-dichlorophenoxy)butyric acid}	0.174	1.300	
05/12/2016	Greve de Lecq (2203)	814 / Asulam	0.109		The Agricultural Inspectorate investigated the Asulam detections and contacted purchases of the product Asulox from the Merchants for the Greve de Lecq catchment. The sprayer was not identified.
05/12/2016	Vallee des Vaux (2505)	807 / 4-Chloro-3,5-dimethylphenol :- {PCMX}	0.941	46.000	Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
19/09/2016	St Peter's (P13)	962 / Glyphosate	0.312	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
19/09/2016	Greve de Lecq (2203)	962 / Glyphosate	0.173	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
19/09/2016	St Brelade (B7)	90 / Triclopyr	0.102		
19/09/2016	Val de la Mare East (VDLMEA2)	816 / Atrazine-desisopropyl	0.105	2.000	
19/09/2016	Greve de Lecq (2203)	814 / Asulam	0.104		The Agricultural Inspectorate investigated the Asulam detections and contacted purchases of the product Asulox from the Merchants for the Greve de Lecq catchment. The sprayer was not identified.
19/09/2016	Vallee des Vaux (2505)	813 / AMPA :- {Aminomethylphosphonic acid}	0.103		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting

19/09/2016	Millbrook SSI	813 / AMPA :- {Aminomethylphosphonic acid}	0.188		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
19/09/2016	St Peter's (P13)	813 / AMPA :- {Aminomethylphosphonic acid}	0.281		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
19/09/2016	St Brelade (B7)	813 / AMPA :- {Aminomethylphosphonic acid}	0.135		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
19/09/2016	Val de la Mare East (VDLMEA2)	813 / AMPA :- {Aminomethylphosphonic acid}	0.202		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
20/07/2016	Greve de Lecq (2203)	814 / Asulam	0.121		The Agricultural Inspectorate investigated the Asulam detections and contacted purchases of the product Asulox from the Merchants for the Greve de Lecq catchment. The sprayer was not identified.
08/03/2016	St Brelade (B7)	914 / Phenoxyacetic acid :- {PAA}	0.381		
08/03/2016	Val de la Mare East (VDLMEA2)	816 / Atrazine-desisopropyl	0.123	2.000	
07/12/2015	St Brelade (B7)	914 / Phenoxyacetic acid :- {PAA}	0.101		
03/09/2015	Grouville SSI	962 / Glyphosate	0.102	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
03/09/2015	Rozel (R2)	962 / Glyphosate	0.101	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
03/09/2015	Vallee des Vaux (2505)	962 / Glyphosate	0.104	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
03/09/2015	St Peter's (P13)	962 / Glyphosate	0.119	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
03/09/2015	St Brelade (B7)	962 / Glyphosate	0.116	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
03/09/2015	Greve de Lecq (2203)	962 / Glyphosate	0.102	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
03/09/2015	Grouville SSI	959 / 2,4-Dimethylphenol :- {2,4-Xylenol}	0.109	46.000	
03/09/2015	Grouville SSI	813 / AMPA :- {Aminomethylphosphonic acid}	0.107		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
03/09/2015	Rozel (R2)	813 / AMPA :- {Aminomethylphosphonic acid}	0.128		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting

03/09/2015	Vallee des Vaux (2505)	813 / AMPA :- {Aminomethylphosphonic acid}	0.126		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
03/09/2015	St Peter's (P13)	813 / AMPA :- {Aminomethylphosphonic acid}	0.148		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
03/09/2015	St Brelade (B7)	813 / AMPA :- {Aminomethylphosphonic acid}	0.171		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
03/09/2015	Greve de Lecq (2203)	813 / AMPA :- {Aminomethylphosphonic acid}	0.133		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
03/09/2015	Greve de Lecq (2203)	398 / Pendimethalin	0.116	0.580	
25/06/2015	Rozel (R2)	962 / Glyphosate	0.155	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
25/06/2015	Grouville SSI	962 / Glyphosate	0.107	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
25/06/2015	St Peter's (P13)	962 / Glyphosate	0.193	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
25/06/2015	St Brelade (B7)	962 / Glyphosate	0.121	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
25/06/2015	Val de la Mare East (VDLMEA2)	962 / Glyphosate	0.108	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
25/06/2015	Greve de Lecq (2203)	962 / Glyphosate	0.106	398.000	Sampling commenced Dec 2018. To be discussed at next AFCW May 2019 meeting
25/06/2015	Val de la Mare East (VDLMEA2)	816 / Atrazine-desisopropyl	0.109	2.000	
25/06/2015	Rozel (R2)	813 / AMPA :- {Aminomethylphosphonic acid}	0.128		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
25/06/2015	Vallee des Vaux (2505)	813 / AMPA :- {Aminomethylphosphonic acid}	0.107		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
25/06/2015	St Peter's (P13)	813 / AMPA :- {Aminomethylphosphonic acid}	0.171		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting
25/06/2015	St Brelade (B7)	813 / AMPA :- {Aminomethylphosphonic acid}	0.120		Sampling commenced Dec 2018. Breakdown product of glyphosate- to be discussed at next AFCW May 2019 meeting